

---

**pyryver**  
*Release 0.3.0*

**Tyler Tian, Matthew Mirvish and Moeez Muhammad**

**Jul 03, 2020**



# CONTENTS

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Prerequisites . . . . .	1
1.2	Installation . . . . .	1
1.3	Key Information . . . . .	1
1.4	Quickstart . . . . .	2
1.5	Realtime Quickstart . . . . .	3
<b>2</b>	<b>API Reference</b>	<b>5</b>
2.1	Session . . . . .	5
2.2	Realtime Client . . . . .	9
2.2.1	Callback Task Data Types . . . . .	14
2.3	Data Models . . . . .	16
2.3.1	Chats . . . . .	18
2.3.2	Users . . . . .	25
2.3.3	Group Chat Members . . . . .	28
2.3.4	Messages (Including Topics) . . . . .	29
2.3.5	Tasks . . . . .	34
2.3.6	Files . . . . .	44
2.3.7	Notifications . . . . .	46
2.3.8	Creators . . . . .	48
2.4	Utilities . . . . .	48
2.4.1	Cache Data Storage . . . . .	48
2.4.2	API Helpers . . . . .	49
2.4.3	Entity Types . . . . .	51
2.4.4	Common Field Names . . . . .	51
	<b>Python Module Index</b>	<b>53</b>
	<b>Index</b>	<b>55</b>



## INTRODUCTION

### 1.1 Prerequisites

`pyryver` requires Python 3.6 or later, and is regularly tested against Python 3.6 & Python 3.8. Our only dependency is on [aiohttp](#).

You may also wish to read [aiohttp](#)'s information about optional prerequisites for high-performance workloads.

### 1.2 Installation

Installing `pyryver` can either be accomplished by cloning our git repository and doing the normal `setup.py install`, or using PyPI:

```
# normal
pip install -U pyryver
# if you have multiple versions of python
python3 -m pip install -U pyryver
# if you use windows
py -3 -m pip install -U pyryver
```

### 1.3 Key Information

In Ryver's API, the base class is a Chat. This, although somewhat unintuitive, does make sense: all of Ryver's functionality can be accessed through one of many interfaces, all of which support chatting. As such, `pyryver`'s API and this documentation often uses the word "chat" to refer to "users, teams and forums". We also use the term "group chat" to refer to both teams and forums, and you might see them referred to as "conferences" within the code since that's what Ryver appears to call them (especially within the WebSocket API).

We also use the term "logged-in" user to refer to whichever user who's credentials were passed when creating the Ryver session.

## 1.4 Quickstart

The core of the pyryver API is the `pyryver.ryver.Ryver` object, which represents a session with the Ryver OData HTTP API.

```
# Log in as a normal user
async with pyryver.Ryver("organization_name", "username", "password") as ryver:
    pass

# Log in with a token (for custom integrations)
async with pyryver.Ryver("organization_name", token="token") as ryver:
    pass
```

As the snippet above demonstrates, you can log in as a normal user, or using a token for a custom integration.

**Warning:** While both normal users and custom integrations can perform most actions, the Realtime API currently does not function when logging in with a token.

The `Ryver` object also stores (and can cache) some information about the Ryver organization, specifically lists of all chats.

These can be loaded either with the type-specific `pyryver.ryver.Ryver.load_users`, `pyryver.ryver.Ryver.load_teams` and `pyryver.ryver.Ryver.load_forums` or with `pyryver.ryver.Ryver.load_chats`. There's also `pyryver.ryver.Ryver.load_missing_chats` which won't update already loaded chats, which can be useful.

```
async with pyryver.Ryver("organization_name", "username", "password") as ryver:
    await ryver.load_chats()

    a_user = ryver.get_user(username="tylertian123")
    a_forum = ryver.get_groupchat(display_name="Off-Topic")
```

Notice that since we grab *all* the chats once at the beginning, the specific chat lookup methods do not need to be awaited, since they just search within pre-fetched data. Also notice that searching for users and group chats are in separate methods; either a `pyryver.objects.Forum` or `pyryver.objects.Team` is returned depending on what gets found.

Most of the functionality of `pyryver` exists within these chats, such as sending/checking messages and managing topics. Additional, more specific methods (such as user and chat membership management) can also be found within the different `pyryver.objects.Chat` subclasses. For example, the following code will scan the most recent 50 messages the logged-in user sent to `tylertian123` and inform them of how many times an ellipsis occurred within them.

```
async with pyryver.Ryver("organization_name", "username", "password") as ryver:
    await ryver.load_chats()

    a_user = ryver.get_user(username="tylertian123")
    # a_forum = ryver.get_groupchat(display_name="Off-Topic")

    tally = 0
    for message in await a_user.get_messages(50):
        if "..." in message.get_body():
            tally += 1

    await a_user.send_message("There's been an ellipsis in here {} times".
        ↪format(tally))
```

(continues on next page)

(continued from previous page)

For more information on how to use *Chats* and other Ryver data types, use the *Ryver entities reference*.

## 1.5 Realtime Quickstart

Building on the previous example, what if we want our terrible ellipsis counting bot to give live updates? We can use the **realtime** API! The realtime interface is centred around the `pyryver.ryver_ws.RyverWS` object, which can be obtained with `Ryver.get_live_session()`. Unlike the rest of the API, the realtime API is largely event driven. For example:

**Warning:** The Realtime API currently does not work when logging in with a token.

```
async with pyryver.Ryver("organization_name", "username", "password") as ryver:
    await ryver.load_chats()

    a_user = ryver.get_user(username="tylertian123")

    async with ryver.get_live_session() as session:
        @session.on_chat
        async def on_chat(msg):
            pass

    await session.run_forever()
```

There are a few things to notice here: firstly, that we can set event handlers with the various `on_` decorators of the `pyryver.ryver_ws.RyverWS` instance (you could also call these directly like any other decorator if you want to declare these callbacks without having obtained the `pyryver.ryver_ws.RyverWS` instance yet), and secondly that the realtime API starts as soon as it is created. `pyryver.ryver_ws.RyverWS.run_forever()` is a helper that will run until something calls `pyryver.ryver_ws.RyverWS.close()`, which can be called from within event callbacks safely.

The contents of the `msg` parameter passed to our callback is currently just the raw JSON message from the Ryver WebSocket system. (documentation as to the fields present are available TODO) In the `chat` message, there are two fields our “bot” needs to care about: “to”, which specifies which chat the message was posted in, and “text”, which is the content of the message. “from” refers to the message’s creator. Perhaps unintuitively, the “to” field should be referring to our user’s chat, since we’re looking at a private DM. For group chats, you’d expect the chat’s ID here.

In fact, you would expect the chat’s **JID** here, since the websocket system uses JIDs to refer to chats. Using this information, we can complete our terrible little bot:

**Note:** The reason for the separate IDs is because the “ratatoskr” chat system appears to be built on XMPP, which uses these “JabberID”s to refer to users and groups.

```
async with pyryver.Ryver("organization_name", "username", "password") as ryver:
    await ryver.load_chats()

    a_user = ryver.get_user(username="tylertian123")
    me = ryver.get_user(username="username")
```

(continues on next page)

(continued from previous page)

```
async with ryver.get_live_session() as session:
    @session.on_chat
    async def on_chat(msg):
        # did the message come from a_user and was sent via DM to us?
        if msg["to"] == me.get_jid() and msg["from"] == a_user.get_jid():
            # did the message contain "..."?
            if "..." in msg["text"]:
                # send a reply via the non-realtime system (slow)
                # await a_user.send_message("Hey, that ellipsis is _mean!")
                # send a reply via the realtime system
                await session.send_chat(a_user, "Hey, that ellipsis is _mean!")

    @session.on_connection_loss
    async def on_connection_loss():
        await session.close()

    await session.run_forever()
```

Here we also added a connection loss handler with the `pyryver.ryver_ws.RyverWS.on_connection_loss()` decorator. The connection loss handler closes the session, which causes `run_forever()` to terminate, allowing the program to exit on connection loss instead of waiting forever.

It's important to note here that although the non-realtime API is perfectly accessible (and sometimes necessary) to use in event callbacks, it's often faster to use corresponding methods in the `pyryver.ryver_ws.RyverWS` instance whenever possible. For some ephemeral actions like typing indicators and presence statuses, the realtime API is the *only* way to accomplish certain tasks.

For more information on how to use the realtime interface, use the *live session reference*.



## API REFERENCE

This is the full reference of everything in pyryver.

---

**Note:** In all cases where a fully qualified name to something is used, such as `pyryver.ryver.Ryver`, any submodule can be ignored, as they are all imported into the global `pyryver` scope.

---

### 2.1 Session

```
class pyryver.ryver.Ryver (org: str = None, user: str = None, password: str = None, token: str = None, cache: Type[pyryver.cache_storage.AbstractCacheStorage] = None)
```

A Ryver session contains login credentials and organization information.

This is the starting point for any application using pyryver.

If the organization, it will be prompted using `input()`. If the username or password are not provided, and the token is not provided, the username and password will be prompted.

If a token is specified, the username and password will be ignored.

The cache is used to load the chats data. If not provided, no caching will occur.

If a valid cache is provided, the chats data will be loaded in the constructor. Otherwise, it must be loaded through `load_forums()`, `load_teams()` and `load_users()` or `load_chats()`.

#### Parameters

- **org** – Your organization’s name (optional). (as seen in the URL)
- **user** – The username to authenticate with (optional).
- **password** – The password to authenticate with (optional).
- **token** – The custom integration token to authenticate with (optional).
- **cache** – The aforementioned cache (optional).

```
async with get_live_session() → pyryver.ryver_ws.RyverWS
```

Get a live session.

The session is not started unless `start()` is called or if it is used as a context manager.

**Warning:** Live sessions **do not work** when using a custom integration token.

**Returns** The live websockets session.

**get\_chat** (*\*\*kwargs*) → *pyryver.objects.Chat*

Get a specific forum/team/user.

If no query parameters are supplied, more than one query parameters are supplied or forums/teams/users are not loaded, raises *ValueError*.

Allowed query parameters are:

- id
- jid

Returns None if not found.

**Returns** The chat, or None if not found.

**get\_user** (*\*\*kwargs*) → *pyryver.objects.User*

Get a specific user.

If no query parameters are supplied, more than one query parameters are supplied or users are not loaded, raises *ValueError*.

Allowed query parameters are:

- id
- jid
- username
- display\_name
- name (same as display\_name in this case)
- email

Returns None if not found.

**Returns** The user, or None if not found.

**get\_groupchat** (*\*\*kwargs*) → *pyryver.objects.GroupChat*

Get a specific forum/team.

If no query parameters are supplied, more than one query parameters are supplied or forums/teams are not loaded, raises *ValueError*.

Allowed query parameters are:

- id
- jid
- name
- nickname

Returns None if not found.

**Returns** The chat, or None if not found.

**await get\_object** (*obj\_type*: *Union[str, type]*, *obj\_id*: *int*, *\*\*kwargs*) → *Type[pyryver.objects.Object]*

Get an object from Ryver with a type and ID.

If extra keyword arguments are supplied, they are appended to the request as additional query parameters. Possible values include `top`, `skip`, `select`, `expand` and more. The [Ryver Developer Docs](#) contains documentation for some of these parameters.

#### Parameters

- **obj\_type** – The type of the object to retrieve, either a string type or the actual object type.
- **obj\_id** – The object’s ID.

**Raises** `TypeError` – If the object is not instantiable.

**Returns** The object requested.

**await get\_info()** → Dict[str, Any]

Get organization and user info.

This method returns an assortment of info. It is currently the only way to get avatar URLs for users/teams/forums etc. The results (returned mostly verbatim from the Ryver API) include:

- Basic user info - contains avatar URLs (“me”)
- User UI preferences (“prefs”)
- Ryver app info (“app”)
- Basic info about all users - contains avatar URLs (“users”)
- Basic info about all teams - contains avatar URLs (“teams”)
- Basic info about all forums - contains avatar URLs (“forums”)
- All available commands (“commands”)
- “messages” and “prefixes”, the purpose of which are currently unknown.

**Returns** The raw org and user info data.

**async for notification in get\_notifs** (*unread: bool = False, top: int = -1, skip: int = 0*)  
→ AsyncIterator[pyryver.objects.Notification]

Get the notifications for the logged in user.

#### Parameters

- **unread** – If True, only return unread notifications.
- **top** – Maximum number of results.
- **skip** – Skip this many results.

**Returns** An async iterator for the user’s notifications.

**await mark\_all\_notifs\_read()** → int

Marks all the user’s notifications as read.

**Returns** How many notifications were marked as read.

**await mark\_all\_notifs\_seen()** → int

Marks all the user’s notifications as seen.

**Returns** How many notifications were marked as seen.

**await upload\_file** (*filename: str, filedata: Any, filetype: str = None*) → pyryver.objects.Storage

Upload a file to Ryver (for attaching to messages).

---

**Note:** Although this method uploads a file, the returned object is an instance of `Storage`, with type `Storage.TYPE_FILE`. Use `Storage.get_file()` to obtain the actual `File` object.

---

#### Parameters

- **filename** – The filename to send to Ryver. (this will show up in the UI if attached as an embed, for example)
- **filedata** – The file’s raw data, sent directly to `aiohttp.FormData.add_field()`.
- **filetype** – The MIME type of the file.

**Returns** The uploaded file, as a `Storage` object.

**await create\_link** (*name: str, link\_url: str*) → *pyryver.objects.Storage*  
Create a link on Ryver (for attaching to messages).

---

**Note:** The returned object is an instance of `Storage` with type `Storage.TYPE_LINK`.

---

#### Parameters

- **name** – The name of this link (its title).
- **url** – The URL of this link.

**Returns** The created link, as a `Storage` object.

**await invite\_user** (*email: str, role: str = 'member', username: str = None, display\_name: str = None*) → *pyryver.objects.User*  
Invite a new user to the organization.

An optional username and display name can be specified to pre-populate those values in the User Profile page that the person is asked to fill out when they accept their invite.

#### Parameters

- **email** – The email of the user.
- **role** – The role of the user (member or guest), one of the `User.USER_TYPE_` constants (optional).
- **username** – The pre-populated username of this user (optional).
- **display\_name** – The pre-populated display name of this user (optional).

**Returns** The invited user object.

**await create\_forum** (*name: str, nickname: str = None, about: str = None, description: str = None*) → *pyryver.objects.Forum*  
Create a new open forum.

#### Parameters

- **name** – The name of this forum.
- **nickname** – The nickname of this forum (optional).
- **about** – The “about” (or “purpose” in the UI) of this forum (optional).
- **description** – The description of this forum (optional).

**Returns** The created forum object.

```
await create_team(name: str, nickname: str = None, about: str = None, description: str = None)
→ pyryver.objects.Team
```

Create a new private team.

## Parameters

- **name** – The name of this team.
- **nickname** – The nickname of this team (optional).
- **about** – The “about” (or “purpose” in the UI) of this team (optional).
- **description** – The description of this team (optional).

**Returns** The created team object.

```
await load_chats() → None
```

Load the data of all users/teams/forums.

This refreshes the cached data if a cache is supplied.

```
await load_missing_chats() → None
```

Load the data of all users/teams/forums if it does not exist.

Unlike `load_chats()`, this does not update the cache.

This method could send requests.

```
await load_users() → None
```

Load the data of all users.

This refreshes the cached data if a cache is supplied.

```
await load_forums() → None
```

Load the data of all forums.

This refreshes the cached data if a cache is supplied.

```
await load_teams() → None
```

Load the data of all teams.

This refreshes the cached data if a cache is supplied.

```
await close()
```

Close this session.

## 2.2 Realtime Client

```
class pyryver.ryver_ws.RyverWS (ryver: Ryver)
```

A live Ryver session using websockets.

You can construct this manually, although it is recommended to use `Ryver.get_live_session()`.

**Warning:** This **does not work** when using a custom integration token to sign in.

```
@on_chat (func: Callable[[pyryver.ws_data.WSChatMessageData], Awaitable])
```

Decorate a coroutine to be run when a new chat message is received.

This coroutine will be started as a task when a new chat message arrives. It should take a single argument of type `WSChatMessageData`, which contains the data for the message.

**@on\_chat\_deleted** (*func: Callable[[pyryver.ws\_data.WSChatDeletedData], Awaitable]*)

Decorate a coroutine to be run when a chat message is deleted.

This coroutine will be started as a task when a chat message is deleted. It should take a single argument of type `WSChatDeletedData`, which contains the data for the message.

**@on\_chat\_updated** (*func: Callable[[pyryver.ws\_data.WSChatUpdatedData], Awaitable]*)

Decorate a coroutine to be run when a chat message is updated (edited).

This coroutine will be started as a task when a chat message is updated. It should take a single argument of type `WSChatUpdatedData`, which contains the data for the message.

**@on\_presence\_changed** (*func: Callable[[pyryver.ws\_data.WSPresenceChangedData], Awaitable]*)

Decorate a coroutine to be run when a user's presence changed.

This coroutine will be started as a task when a user's presence changes. It should take a single argument of type `WSPresenceChangedData`, which contains the data for the presence change.

**@on\_user\_typing** (*func: Callable[[pyryver.ws\_data.WSUserTypingData], Awaitable]*)

Decorate a coroutine to be run when a user starts typing.

This coroutine will be started as a task when a user starts typing in a chat. It should take a single argument of type `WSUserTypingData`, which contains the data for the user typing.

**@on\_connection\_loss** (*func: Callable[], Awaitable]*)

Decorate a coroutine to be run when the connection is lost.

This coroutine will be started as a task when the connection is lost. It should take no arguments.

Applications are suggested to clean up and terminate immediately when the connection is lost, as further actions could hang forever.

**@on\_error** (*func: Callable[[Union[TypeError, ValueError]], Awaitable]*)

Decorate a coroutine to be run when a connection error occurs.

This coroutine will be started as a task when an error occurs while waiting for messages. It should take a single argument, which will either be a `TypeError` (if a binary message is received instead of JSON) or a `ValueError` (if message is not valid JSON). This exception will be the one raised by `aiohttp.ClientWebSocketResponse.receive_json()`.

Common reasons for errors include (but are not limited to) undetected connection losses, bad auth, or internal errors. Applications are suggested to clean up and terminate immediately when a websocket error occurs.

**EVENT\_REACTION\_ADDED = '/api/reaction/added'**

A reaction was added to a message (includes topics, tasks and replies/comments).

data field format:

- "type": The entity type of the thing that was reacted to.
- "id": The ID of the thing that was reacted to. String for chat messages, int for everything else.
- "userId": The ID of the user that reacted.
- "reaction": The name of the emoji that the user reacted with.

**EVENT\_REACTION\_REMOVED = '/api/reaction/removed'**

A reaction was removed from a message (includes topics, tasks and replies/comments).

data field format:

- "type": The entity type of the thing that was reacted to.
- "id": The ID of the thing that was reacted to. String for chat messages, int for everything else.

- "userId": The ID of the user that reacted.
- "reaction": The name of the emoji that the user reacted with.

**EVENT\_TOPIC\_CHANGED** =  `'/api/activityfeed/posts/changed '`

A topic was changed (created, updated, deleted).

data field format:

- "created": A list of objects containing data for topics that were newly created.
- "updated": A list of objects containing data for topics that were updated.
- "deleted": A list of objects containing data for topics that were deleted.

**EVENT\_TASK\_CHANGED** =  `'/api/activityfeed/tasks/changed '`

A task was changed (created, updated, deleted).

data field format:

- "created": A list of objects containing data for tasks that were newly created.
- "updated": A list of objects containing data for tasks that were updated.
- "deleted": A list of objects containing data for tasks that were deleted.

**EVENT\_ENTITY\_CHANGED** =  `'/api/entity/changed '`

Some entity was changed (created, updated, deleted).

data field format:

- "change": The type of the change, could be "created", "updated", or "deleted".
- "entity": The entity that was changed and some of its data after the change.

**EVENT\_ALL** =  `''`

All unhandled events.

**@on\_event** (*event\_type: str*)

Decorate a coroutine to be run when an event occurs.

This coroutine will be started as a task when a new event arrives with the specified type. If the `event_type` is `None` or an empty string, it will be called for all events that are unhandled.

It should take a single argument of type `WSEventData`, which contains the data for the event.

**Parameters** `event_type` – The event type to listen to, one of the constants in this class starting with `EVENT_` or `RyverWS.EVENT_ALL` to receive all otherwise unhandled messages.

**MSG\_TYPE\_CHAT** =  `'chat '`

A chat message was received.

**MSG\_TYPE\_CHAT\_UPDATED** =  `'chat_updated '`

A chat message was updated.

**MSG\_TYPE\_CHAT\_DELETED** =  `'chat_deleted '`

A chat message was deleted.

**MSG\_TYPE\_PRESENCE\_CHANGED** =  `'presence_change '`

A user changed their presence.

**MSG\_TYPE\_USER\_TYPING** =  `'user_typing '`

A user is typing in a chat.

**MSG\_TYPE\_EVENT** =  `'event '`

An event occurred.

**MSG\_TYPE\_ALL** = ''

All unhandled messages.

**@on\_msg\_type** (*msg\_type: str*)

Decorate a coroutine to be run when for a type of websocket messages or for all unhandled messages.

This coroutine will be started as a task when a new websocket message arrives with the specified type. If the *msg\_type* is None or an empty string, it will be called for all messages that are otherwise unhandled.

It should take a single argument of type *WSMessageData*, which contains the data for the event.

**Parameters** *msg\_type* – The message type to listen to, one of the constants in this class starting with *MSG\_TYPE\_* or *RyverWS.MSG\_TYPE\_ALL* to receive all otherwise unhandled messages.

**await send\_chat** (*to\_chat: Union[pyryver.objects.Chat, str]*, *msg: str*)

Send a chat message to a chat.

**Parameters**

- *to\_chat* – The chat or the JID of the chat to send the message to.
- *msg* – The message contents.

**Raises** *ClosedError* – If connection closed or not yet opened.

**async with typing** (*to\_chat: pyryver.objects.Chat*) → *pyryver.ryver\_ws.RyverWSTyping*

Get an async context manager that keeps sending a typing indicator to a chat.

Useful for wrapping long running operations to make sure the typing indicator is kept, like:

**Parameters** *to\_chat* – Where to send the typing status.

**await send\_typing** (*to\_chat: Union[pyryver.objects.Chat, str]*)

Send a typing indicator to a chat.

The typing indicator automatically clears after a few seconds or when a message is sent. In private messages, you can also clear it with *RyverWS.send\_clear\_typing()* (does not work for group chats).

If you want to maintain the typing indicator for an extended operation, consider using *RyverWS.typing()*, which returns an async context manager that can be used to maintain the typing indicator for as long as desired.

**Parameters** *to\_chat* – The chat or the JID of the chat to send the typing status to.

**Raises** *ClosedError* – If connection closed or not yet opened.

**await send\_clear\_typing** (*to\_chat: Union[pyryver.objects.Chat, str]*)

Clear the typing indicator for a chat.

**Warning:** For unknown reasons, this method **only works in private messages**.

**Parameters** *to\_chat* – The chat or the JID of the chat to clear the typing status for.

**Raises** *ClosedError* – If connection closed or not yet opened.

**PRESENCE\_AVAILABLE** = 'available'

“Available” presence (green).

**PRESENCE\_AWAY** = 'away'

“Away” presence (yellow clock).



**PRESENCE\_DO\_NOT\_DISTURB** = 'dnd'  
 “Do Not Disturb” presence (red stop sign).

**PRESENCE\_OFFLINE** = 'unavailable'  
 “Offline” presence (grey).

**await send\_presence\_change** (*presence: str*)  
 Send a presence change message.

The presence change is global and not restricted to a single chat.

**Parameters** **presence** – The new presence, one of the `PRESENCE_` constants.

**Raises** `ClosedError` – If connection closed or not yet opened.

---

**Note:** If you use this class as an `async with` context manager, you don’t need to call these two methods, unless you want to break out of a `RyverWS.run_forever()`.

---

**await start** ()  
 Start the session.

**await close** ()  
 Close the session.

Any future operation after closing will result in a `ClosedError` being raised.

---

**Note:** By default, when the connection is lost, the session is not automatically closed. You should use the `RyverWS.on_connection_lost()` decorator if you want to implement this.

---

**await run\_forever** ()  
 Run forever, or until the connection is closed.

**class** `pyryver.pyver_ws.RyverWSTyping` (*rws: pyryver.pyver\_ws.RyverWS, to: pyryver.objects.Chat*)

A context manager returned by `RyverWS` to keep sending a typing indicator.

You should not create this class yourself, rather use `RyverWS.start_typing()` instead.

**start** ()  
 Start sending the typing indicator.

**await stop** ()  
 Stop sending the typing indicator.

---

**Note:** This method will attempt to clear the typing indicator using `RyverWS.send_clear_typing()`. However, it only works in private messages. Outside of private messages, the typing indicator doesn’t clear immediately. It will clear by itself after about 3 seconds, or when a message is sent.

---

**class** `pyryver.pyver_ws.ClosedError`  
 Bases: `Exception`

An exception raised to indicate that the session has been closed.

## 2.2.1 Callback Task Data Types

**class** `pyryver.ws_data.WSMessageData` (*ryver: Ryver, data: dict*)

The data for any websocket message in `pyryver.ryver_ws.RyverWS`.

### Variables

- **ryver** – The Ryver session that the data came from.
- **ws\_msg\_type** – The type of this websocket message. This can be one of the `MSG_TYPE_` constants in `pyryver.ryver_ws.RyverWS` (except `MSG_TYPE_ALL`). However, do note that the constants listed there do not cover all valid values of this field.
- **raw\_data** – The raw websocket message data.

**class** `pyryver.ws_data.WSChatMessageData` (*ryver: Ryver, data: dict*)

Bases: `pyryver.ws_data.WSMessageData`

The data for a chat message in `pyryver.ryver_ws.RyverWS`.

### Variables

- **message\_id** – The ID of the message (a string).
- **from\_jid** – The JID of the sender of this message.
- **to\_jid** – The JID of the chat this message was sent to.
- **text** – The contents of the message.
- **subtype** – The subtype of the message. This will be one of the `SUBTYPE_` constants in `ChatMessage`.
- **attachment** – The file attached to this message, or `None` if there isn't one.
- **creator** – The overridden message creator (see `Creator`), or `None` if there isn't one.

**class** `pyryver.ws_data.WSChatUpdatedData` (*ryver: Ryver, data: dict*)

Bases: `pyryver.ws_data.WSChatMessageData`

The data for a chat message edited in `pyryver.ryver_ws.RyverWS`.

### Variables

- **message\_id** – The ID of the message (a string).
- **from\_jid** – The JID of the user that edited the message.
- **to\_jid** – The JID of the chat this message was sent to.
- **text** – The contents of the message after the edit. Note: In very rare circumstances, this field is known to be `None`.
- **subtype** – The subtype of the message. This will be one of the `SUBTYPE_` constants in `ChatMessage`.
- **attachment** – The file attached to this message, or `None` if there isn't one.

**class** `pyryver.ws_data.WSChatDeletedData` (*ryver: Ryver, data: dict*)

Bases: `pyryver.ws_data.WSChatMessageData`

The data for a chat message deleted in `pyryver.ryver_ws.RyverWS`.

### Variables

- **message\_id** – The ID of the message (a string).
- **from\_jid** – The JID of the sender of this message.

- **to\_jid** – The JID of the chat this message was sent to.
- **text** – The contents of the message that was deleted.
- **subtype** – The subtype of the message. This will be one of the `SUBTYPE_` constants in `ChatMessage`.
- **attachment** – The file attached to this message, or `None` if there isn't one.

**class** `pyryver.ws_data.WSPresenceChangedData` (*ryver: Ryver, data: dict*)

Bases: `pyryver.ws_data.WSMessageData`

The data for a presence changed in `pyryver.ryver_ws.RyverWS`.

#### Variables

- **presence** – The new presence. This will be one of the `PRESENCE_` constants in `RyverWS`.
- **from\_jid** – The JID of the user that changed their presence.
- **client** – The client the user is using.
- **timestamp** – An ISO 8601 timestamp of this event. You can use `pyryver.util.iso8601_to_datetime()` to convert it into a datetime.

**class** `pyryver.ws_data.WSUserTypingData` (*ryver: Ryver, data: dict*)

Bases: `pyryver.ws_data.WSMessageData`

The data for a user typing in `pyryver.ryver_ws.RyverWS`.

#### Variables

- **from\_jid** – The JID of the user that started typing.
- **to\_jid** – The JID of the chat the user started typing in.
- **state** – The “state” of the typing. This is almost always “composing” (for typing in progress), but it could also very rarely be “done”, for when the user has finished typing.

**class** `pyryver.ws_data.WSEventData` (*ryver: Ryver, data: dict*)

Bases: `pyryver.ws_data.WSMessageData`

The data for an event in `pyryver.ryver_ws.RyverWS`.

#### Variables

- **event\_type** – The type of this event. This can be one of the `EVENT_` constants in `pyryver.ryver_ws.RyverWS` (except `EVENT_ALL`). However, do note that the constants listed there do not cover all valid values of this field.
- **event\_data** – The data of this event. This is a dictionary mapping strings to values of any type. The format depends on the event type. The format of some events are documented in the docs of the `EVENT_` constants.

## 2.3 Data Models

**class** `pyryver.objects.Object` (*ryver*: `pyryver.ryver.Ryver`, *data*: *dict*)  
Base class for all Ryver objects.

**Parameters**

- **ryver** – The parent `pyryver.pyryver.Ryver` instance.
- **data** – The object's data.

**get\_ryver**() → `pyryver.ryver.Ryver`  
Get the Ryver session this object was retrieved from.

**Returns** The Ryver session associated with this object.

**get\_id**() → `Union[int, str]`  
Get the ID of this object.

For a `ChatMessage` this is a string. For all other types, it is an int.

**Returns** The ID of this object.

**get\_entity\_type**() → `str`  
Get the entity type of this object.

**Returns** The entity type of this object, or if no entity of such type exists, `<unknown>`.

**get\_raw\_data**() → `dict`  
Get the raw data of this object.

The raw data is a dictionary directly obtained from parsing the JSON response.

**Returns** The raw data of this object.

**get\_api\_url**(\*args, \*\*kwargs) → `str`  
Uses `Ryver.get_api_url()` to get a URL for working with the Ryver API.

**Warning:** This method is intended for internal use only.

This is equivalent to calling `Ryver.get_api_url()`, but with the first two parameters set to `self.get_type()` and `self.get_id()`.

**Returns** The formatted URL for performing requests.

**get\_create\_date**() → `str`  
Get the date this object was created as an ISO 8601 timestamp.

---

**Note:** This method does not work for all objects. For some objects, it will return `None`.

---

---

**Tip:** You can use `pyryver.util.iso8601_to_datetime()` to convert the timestamps returned by this method into a datetime.

---

**Returns** The creation date of this object, or `None` if not supported.

**get\_modify\_date()** → *str*

Get the date this object was last modified as an ISO 8601 timestamp.

---

**Note:** This method does not work for all objects. For some objects, it will return None.

---



---

**Tip:** You can use `pyryver.util.iso8601_to_datetime()` to convert the timestamps returned by this method into a datetime.

---

**Returns** The modification date of this object, or None if not supported.

**get\_app\_link()** → *str*

Get a link to this object that opens the app to this object.

---

**Note:** This method does not work for some types such as messages and topic/task replies. Additionally, only types with `Object.is_instantiable()` true can be linked to. Calling this method on an object of an invalid type will result in a `TypeError`.

---

**Raises** `TypeError` – If this object cannot be linked to.

**Returns** The in-app link for this object.

**get\_creator()** → *pyryver.objects.Creator*

Get the Creator of this object.

Note that this is different from the author. Creators are used to override the display name and avatar of a user. If the username and avatar were not overridden, this will return None.

Not all objects support this operation. If not supported, this will return None.

**Returns** The overridden creator of this message.

**await get\_deferred\_field**(*field: str, field\_type: str*) → Union[Type[*pyryver.objects.Object*], List[Type[*pyryver.objects.Object*]]]

Get the value of a field of this object that exists, but is not included (“\_\_deferred” in the Ryver API).

**Warning:** This function is intended for internal use only.

This function will automatically infer from the result’s contents whether to return a single object or a list of objects.

If the field cannot be retrieved, a `ValueError` will be raised.

#### Parameters

- **field** – The name of the field.
- **field\_type** – The type of the field, must be a `TYPE_` constant.

**Returns** The expanded value of this field as an object or a list of objects.

**Raises** `ValueError` – When the field cannot be expanded.

**await get\_create\_user()** → *pyryver.objects.User*  
Get the user that created this object.

---

**Note:** This method does not work for all objects. If not supported, it will return None.

---

**Returns** The user that created this object, or None if not supported.

**await get\_modify\_user()** → *pyryver.objects.User*  
Get the user that modified this object.

---

**Note:** This method does not work for all objects. If not supported, it will return None.

---

**Returns** The user that last modified this object, or None if not supported.

**classmethod get\_type()** → *str*  
Get the type of this object.

**Returns** The type of this object.

**classmethod is\_instantiable()** → *bool*  
Get whether this object type is instantiable.

Some types of objects cannot be instantiated, as they are actually not a part of the REST API, such as *Message*, *Chat*, and other abstract types. If the type can be instantiated, this class method will return True.

Note that even though a type may not be instantiable, its derived types could still be. For example, *Chat* is not instantiable, but one of its derived types, *User*, is instantiable.

**Returns** Whether this type is instantiable.

**classmethod await get\_by\_id**(*ryver*: *pyryver.ryver.Ryver*, *obj\_id*: *int*) → *Type[pyryver.objects.Object]*

Retrieve an object of this type by ID.

**Parameters**

- **ryver** – The Ryver session to retrieve the object from.
- **obj\_id** – The ID of the object to retrieve.

**Raises** *TypeError* – If this type is not instantiable.

**Returns** The object requested.

## 2.3.1 Chats

**class** *pyryver.objects.Chat*(*ryver*: *pyryver.ryver.Ryver*, *data*: *dict*)  
Bases: *pyryver.objects.Object*

Any Ryver chat you can send messages to.

E.g. Teams, forums, user DMs, etc.

**get\_jid()** → *str*  
Get the JID (JabberID) of this chat.

The JID is used in the websockets interface.

**Returns** The JID of this chat.

**abstractmethod** `get_name()` → `str`

Get the name of this chat.

**Returns** The name of this chat.

**get\_task\_tags**() → `List[pyryver.objects.TaskTag]`

Get a list of task tags defined in this chat, as `TaskTag` objects.

**Returns** The defined task tags of this chat.

**await** `set_task_tags(tags: Iterable[pyryver.objects.TaskTag])`

Set the task tags defined in this chat.

---

**Note:** This will erase any existing tags.

This method also updates the task tags property of this object.

---

**Parameters** `tags` – The new tags as a list of `TaskTag`s`.

**await** `send_message(message: str, creator: pyryver.objects.Creator = None, attachment: Optional[pyryver.objects.Storage] = None, from_user: Optional[pyryver.objects.User] = None)` → `str`

Send a message to this chat.

Specify a creator to override the username and profile of the message creator.

---

**Tip:** To attach a file to the message, use `pyryver.pyryver.Ryver.upload_file()` to upload the file you wish to attach. Alternatively, use `pyryver.pyryver.Ryver.create_link()` for a link attachment.

---

**Warning:** `from_user` **must** be set when using attachments with private messages. Otherwise, a `ValueError` will be raised. It should be set to the user that is sending the message (the user currently logged in).

It is not required to be set if the message is being sent to a forum/team.

Returns the ID of the chat message sent (**not** the message object itself). Note that message IDs are strings.

#### Parameters

- **message** – The message contents.
- **creator** – The overridden creator; optional, if unset uses the logged-in user's profile.
- **attachment** – An attachment for this message, e.g. a file or a link (optional).
- **from\_user** – The user that is sending this message (the user currently logged in); **must** be set when using attachments in private messages (optional).

**Raises** `ValueError` – If a `from_user` is not provided for a private message attachment.

**Returns** The ID of the chat message that was sent.

**async for ... in** `get_topics(archived: bool = False, top: int = -1, skip: int = 0)` → `AsyncIterator[pyryver.objects.Topic]`

Get all the topics in this chat.

**Parameters**

- **archived** – If True, only include archived topics in the results, otherwise, only include non-archived topics.
- **top** – Maximum number of results; optional, if unspecified return all results.
- **skip** – Skip this many results.

**Returns** An async iterator for the topics of this chat.

**await get\_messages** (*count*: *int*, *skip*: *int* = 0) → List[pyryver.objects.ChatMessage]

Get a number of messages (most recent **first**) in this chat.

**Parameters**

- **count** – Maximum number of results.
- **skip** – The number of results to skip (optional).

**Returns** A list of messages.

**await get\_message** (*msg\_id*: *str*) → pyryver.objects.ChatMessage

Get a single message from this chat by its ID.

---

**Note:** There is a chance that this method might result in a 404 Not Found for messages that were sent recently (such as when using the realtime websocket API (`pyryver.ryver_ws.RyverWS`) to respond to messages), as those messages have not been fully added to Ryver's database yet.

You can use `pyryver.util.retry_until_available()` to wrap around this coroutine to get around this.

---

**Parameters** **msg\_id** – The ID of the chat message to get.

**Returns** The message object.

**await get\_messages\_surrounding** (*msg\_id*: *str*, *before*: *int* = 0, *after*: *int* = 0) → List[pyryver.objects.ChatMessage]

Get a range of messages (most recent **last**) before and after a chat message (given by ID).

**Warning:** Before and after cannot exceed 25 messages, otherwise a `aiohttp.ClientResponseError` will be raised with the code 400 Bad Request.

---

**Note:** There is a chance that this method might result in a 404 Not Found for messages that were sent recently (such as when using the realtime websocket API (`pyryver.ryver_ws.RyverWS`) to respond to messages), as those messages have not been fully added to Ryver's database yet.

You can use `pyryver.util.retry_until_available()` to wrap around this coroutine to get around this.

---

The message with the given ID is also included as a part of the result.

**Parameters**

- **msg\_id** – The ID of the message to use as the reference point.
- **before** – How many messages to retrieve before the specified one (optional).



- **after** – How many messages to retrieve after the specified one (optional).

**Returns** The messages requested, including the reference point message.

```
await get_message_from_id(msg_id: str, before: int = 0, after: int = 0) →
    List[pyryver.objects.Message]
```

Get a message from an ID, optionally also messages before and after it too.

Deprecated since version 0.3.0: Use either `Chat.get_message()` or `Chat.get_messages_surrounding()` instead. `get_message()` returns a single message rather than a list, which is more fitting for its name. `get_messages_surrounding` can be used as a drop-in replacement for this method.

**Warning:** Before and after cannot exceed 25 messages, otherwise an `HTTPError` will be raised with the error code 400 Bad Request.

**Note:** There is a chance that this method might result in a 404 Not Found for messages that were sent recently (such as when using the realtime websocket API (`pyryver.pyryver_ws.RyverWS`) to respond to messages), as those messages have not been fully added to Ryver's database yet.

You can use `pyryver.util.retry_until_available()` to wrap around this coroutine to get around this.

This method does not support top/skip.

#### Parameters

- **msg\_id** – The ID of the message to retrieve, and the reference point for the `before` and `after` parameters.
- **before** – How many extra messages to retrieve before the specified one.
- **after** – How many extra messages to retrieve after the specified one.

**Returns** The message(s) requested in a list.

```
await get_task_board() → pyryver.objects.TaskBoard
```

Get the task board of this chat.

If tasks are not set up for this chat, this will return `None`.

This method works on users too. If used on a user, it will get their personal task board.

**Returns** The task board of this chat.

```
await delete_task_board() → bool
```

Delete (or “reset”, according to the UI) the task board of this chat.

This method will not yield an error even if there is no task board set up. In those cases, it will simply return `false`.

**Returns** Whether the task board was deleted.

```
await create_task_board(board_type: str, prefix: str = None, categories: List[Union[str,
    Tuple[str, str]]] = None, uncategorized_name: str = None) →
    pyryver.objects.TaskBoard
```

Create the task board for this chat if it has not yet been set up.

The board type should be one of the `TaskBoard` `BOARD_TYPE_` constants; it specified whether this task board should be a simple list or a board with categories.

You can also specify a list of category names and optional category types to pre-populate the task board with categories. Each entry in the list should either be a string, which specifies the category name, or a tuple of the name and the type of the category (a `CATEGORY_TYPE_` constant). The default category type is `TaskCategory.CATEGORY_TYPE_OTHER`.

An “uncategorized” category is always automatically added. Therefore, the type `TaskCategory.CATEGORY_TYPE_UNCATEGORIZED` cannot be used in the list. You can, however, change the name of the default “Uncategorized” category by specifying `uncategorized_name`.

Categories should not be specified if the type of the task board is `TaskBoard.BOARD_TYPE_LIST`.

#### Parameters

- **board\_type** – The type of the task board.
- **prefix** – The task prefix (optional).
- **categories** – A list of categories and optional types to pre-populate the task board with (see above) (optional).
- **uncategorized\_name** – The name for the default “Uncategorized” category.

**await delete\_avatar()** → `None`

Delete the avatar of this chat.

**await set\_avatar(filename: str, filedata: Any, filetype: str = None)** → `None`

Set the avatar of this chat.

A wrapper for `Storage.make_avatar_of()` and `Ryver.upload_file()`.

#### Parameters

- **filename** – The filename of the image.
- **filedata** – The image’s raw data, sent directly to `aihttp.FormData.add_field()`.
- **filetype** – The MIME type of the file.

**class pyryver.objects.GroupChat** (ryver: `pyryver.ryver.Ryver`, data: `dict`)

Bases: `pyryver.objects.Chat`

A Ryver team or forum.

**get\_name()** → `str`

Get the name of this chat.

**Returns** The name of this forum/team.

**get\_nickname()** → `str`

Get the nickname of this chat.

The nickname is a unique identifier that can be used to refer to the chat across Ryver.

**Returns** The nickname of this forum/team.

**has\_chat()** → `bool`

Get whether this forum/team has a chat tab.

**Returns** Whether there is a chat tab for this forum/team.

**has\_topics()** → `bool`

Get whether this forum/team has a topics tab.

**Returns** Whether there is a topics tab for this forum/team.

**has\_tasks** () → bool

Get whether this forum/team has a tasks tab.

**Returns** Whether there is a tasks tab for this forum/team.

**does\_announce\_topics** () → bool

Get whether new topics are announced with a chat message.

**Returns** Whether new topics are announced with a chat message.

**does\_announce\_tasks** () → bool

Get whether new tasks are announced with a chat message.

**Returns** Whether new tasks are announced with a chat message.

**is\_archived** () → bool

Get whether this team/forum is archived.

**Returns** Whether the team/forum is archived.

**async for ... in get\_members** (top: int = - 1, skip: int = 0) → AsyncIterator[pyryver.objects.GroupChatMember]

Get all the members of this chat.

---

**Note:** This gets the members as *GroupChatMember* objects, which contain additional info such as whether the user is an admin of this chat.

To get the *User* object, use *GroupChatMember.as\_user* ().

---

#### Parameters

- **top** – Maximum number of results; optional, if unspecified return all results.
- **skip** – Skip this many results.

**Returns** An async iterator for the members of this chat.

**await get\_member** (user: Union[int, pyryver.objects.User]) → pyryver.objects.GroupChatMember

Get a member using either a User object or user ID.

---

**Note:** This gets the member as a *GroupChatMember* object, which contain additional info such as whether the user is an admin of this chat.

---



---

**Note:** If an ID is provided, it should be the **user** ID of this member, not the groupchat member ID.

---

If the user is not found, this method will return None.

**Parameters** **user** – The user, or the ID of the user.

**Returns** The member, or None if not found.

**await add\_member** (user: pyryver.objects.User, role: str = None) → None

Add a member to this forum or team.

This is a wrapper for *User.add\_to\_chat* ().

The *role* should be either *GroupChatMember.ROLE\_MEMBER* or *GroupChatMember.ROLE\_ADMIN*. By default, new members are invited as normal members.

**Parameters**

- **user** – The user to add.
- **role** – The role to invite the user as (member or admin) (optional).

**await remove\_member** (*user: Union[int, pyryver.objects.User]*) → *None*

Remove a user from this forum/team.

Either a user ID or a user object can be used.

If the user is not in this forum/team, this method will do nothing.

**Parameters user** – The user or the ID of the user to remove.

**await create\_topic** (*subject: str, body: str, stickied: bool = False, creator: pyryver.objects.Creator = None, attachments: Iterable[Storage] = None*) → *pyryver.objects.Topic*

Create a topic in this chat.

Returns the topic created.

---

**Tip:** To attach files to the topic, use `pyryver.ryver.Ryver.upload_file()` to upload the files you wish to attach. Alternatively, use `pyryver.ryver.Ryver.create_link()` for link attachments.

---

**Parameters**

- **subject** – The subject (or title) of the new topic.
- **body** – The contents of the new topic.
- **stickied** – Whether to sticky (pin) this topic to the top of the list (optional, default False).
- **creator** – The overridden creator; optional, if unset uses the logged-in user's profile.
- **attachments** – A number of attachments for this topic (optional). Note: Use *Storage* objects, not *File* objects! These attachments could be links or files.

**Returns** The created topic.

**await change\_settings** (*chat: bool = NO\_CHANGE, topics: bool = NO\_CHANGE, tasks: bool = NO\_CHANGE, announce\_topics: bool = NO\_CHANGE, announce\_tasks: bool = NO\_CHANGE*) → *None*

Change the settings of this forum/team.

---

**Note:** The settings here contain only the settings in the “Settings” tab in the UI.

This method also updates these properties in this object.

---

If any parameters are unspecified, *NO\_CHANGE*, or *None*, they will be left as-is.

**Parameters**

- **chat** – Whether there should be a chat tab for this forum/team (optional).
- **topics** – Whether there should be a topics tab for this forum/team (optional).
- **tasks** – Whether there should be a tasks tab for this form/team (optional).
- **announce\_topics** – Whether new topics should be announced in the chat (optional).

- **announce\_tasks** – Whether new tasks should be announced in the chat (optional).

**await set\_archived** (*archived: bool*) → *None*  
Set whether this team/forum is archived.

---

**Note:** This method also updates the archived property of this object.

---

**Parameters archived** – Whether this team/forum should be archived.

**await delete** () → *None*  
Delete this forum/team.

As with most things, once it's deleted, there's no way to go back!

**class** pyryver.objects.**Forum** (*ryver: pyryver.ryver.Ryver, data: dict*)  
Bases: *pyryver.objects.GroupChat*  
A Ryver forum.

**class** pyryver.objects.**Team** (*ryver: pyryver.ryver.Ryver, data: dict*)  
Bases: *pyryver.objects.GroupChat*  
A Ryver team.

## 2.3.2 Users

**class** pyryver.objects.**User** (*ryver: pyryver.ryver.Ryver, data: dict*)  
Bases: *pyryver.objects.Chat*  
A Ryver user.

### Variables

- **ROLE\_USER** – Regular organization member. Admins also have this role in addition to **ROLE\_ADMIN**.
- **ROLE\_ADMIN** – An org admin.
- **ROLE\_GUEST** – A guest.
- **USER\_TYPE\_MEMBER** – A member.
- **USER\_TYPE\_GUEST** – A guest.

**ROLE\_USER** = 'ROLE\_USER'

**ROLE\_ADMIN** = 'ROLE\_ADMIN'

**ROLE\_GUEST** = 'ROLE\_GUEST'

**USER\_TYPE\_MEMBER** = 'member'

**USER\_TYPE\_GUEST** = 'guest'

**get\_username** () → *str*  
Get the username of this user.

**Returns** The username of this user.

**get\_display\_name** () → *str*  
Get the display name of this user.

**Returns** The display name of this user.

**get\_name()** → *str*

Get the display name of this user (same as the display name).

**Returns** The name of this user.

**get\_role()** → *str*

Get this user's role in their profile.

---

**Note:** This is different from *get\_roles()*. While this one gets the "Role" of the user from the profile, *get\_roles()* gets the user's roles in the organization (user, guest, admin).

---

**Returns** The user's "Role" as described in their profile.

**get\_about()** → *str*

Get this user's About.

**Returns** The user's "About" as described in their profile.

**get\_time\_zone()** → *str*

Get this user's Time Zone.

**Returns** The user's time zone.

**get\_email\_address()** → *str*

Get this user's Email Address.

**Returns** The user's email address.

**get\_activated()** → *bool*

Get whether this user's account is activated.

**Returns** Whether this user's account is activated (enabled).

**get\_roles()** → *List[str]*

Get this user's role in the organization.

---

**Note:** This is different from *get\_role()*. While this one gets the user's roles in the organization (user, guest, admin), *get\_role()* gets the user's role from their profile.

---

**Returns** The user's roles in the organization.

**get\_user\_type()** → *str*

Get the type of this user (member or guest).

The returned value will be either *User.USER\_TYPE\_MEMBER* or *User.USER\_TYPE\_GUEST*.

**Returns** The type of the user.

**is\_admin()** → *bool*

Get whether this user is an org admin.

**Returns** Whether the user is an org admin.

**accepted\_invite()** → *bool*

Get whether this user has accepted their user invite.

**Returns** Whether the user has accepted their invite.

**await set\_profile** (*display\_name: str = None, role: str = None, about: str = None*) → *None*

Update this user's profile.

If any of the arguments are None, they will not be changed.

---

**Note:** This also updates these properties in this object.

---

#### Parameters

- **display\_name** – The user's new display\_name.
- **role** – The user's new role, as described in `get_role()`.
- **about** – The user's new "about me" blurb.

**await set\_activated** (*activated: bool*) → *None*

Activate or deactivate the user. Requires admin.

---

**Note:** This also updates these properties in this object.

---

**await set\_org\_role** (*role: str*) → *None*

Set a user's role in this organization, as described in `get_roles()`.

This can be either `ROLE_USER`, `ROLE_ADMIN` or `ROLE_GUEST`.

---

**Note:** Although for org admins, `get_roles()` will return both `ROLE_USER` and `ROLE_ADMIN`, to make someone an org admin you only need to pass `ROLE_ADMIN` into this method.

---



---

**Note:** This also updates these properties in this object.

---

**await add\_to\_chat** (*chat: pyryver.objects.GroupChat, role: str = None*) → *None*

Add a user to a forum/team.

The role should be either `GroupChatMember.ROLE_MEMBER` or `GroupChatMember.ROLE_ADMIN`. By default, new members are invited as normal members.

#### Parameters

- **chat** – The forum/team to add to.
- **role** – The role to invite the user as (member or admin) (optional).

**await create\_topic** (*from\_user: pyryver.objects.User, subject: str, body: str, stickied: bool = False, attachments: Iterable[Storage] = None, creator: pyryver.objects.Creator = None*) → *pyryver.objects.Topic*

Create a topic in this user's DMs.

Returns the topic created.

---

**Tip:** To attach files to the topic, use `pyryver.ryver.Ryver.upload_file()` to upload the files you wish to attach. Alternatively, use `pyryver.ryver.Ryver.create_link()` for link attachments.

---

**Parameters**

- **from\_user** – The user that will create the topic; must be the same as the logged-in user.
- **subject** – The subject (or title) of the new topic.
- **body** – The contents of the new topic.
- **stickied** – Whether to sticky (pin) this topic to the top of the list (optional, default False).
- **attachments** – A number of attachments for this topic (optional). Note: Use *Storage* objects, not *File* objects! These attachments could be links or files.
- **creator** – The overridden creator; optional, if unset uses the logged-in user's profile.

**Returns** The created topic.

### 2.3.3 Group Chat Members

**class** `pyryver.objects.GroupChatMember` (*ryver*: `pyryver.ryver.Ryver`, *data*: *dict*)

Bases: `pyryver.objects.Object`

A member in a forum or team.

This class can be used to tell whether a user is an admin of their forum/team.

**Variables**

- **ROLE\_MEMBER** – Regular chat member. Note: This member could also be an org admin.
- **ROLE\_ADMIN** – Forum/team admin.

**ROLE\_MEMBER** = 'ROLE\_TEAM\_MEMBER'

**ROLE\_ADMIN** = 'ROLE\_TEAM\_ADMIN'

**get\_role()** → *str*

Get the role of this member.

This will be one of the `ROLE_` constants in this class.

**Returns** The role of this member.

**as\_user()** → `pyryver.objects.User`

Get this member as a *User* object.

**Returns** The member as a *User* object.

**is\_admin()** → *bool*

Get whether this member is an admin of their forum/team.

**Warning:** This method does not check for org admins.

**Returns** Whether this user is a forum admin/team admin.

**await remove()** → *None*

Remove this member from the forum/team.

**await set\_role(role: str)** → *None*

Set the role of this member (regular member or admin).

The role should be one of the `ROLE_` constants in this class.



---

**Note:** This will also update the role stored in this object.

---

**Parameters** `role` – The new role of the member.

## 2.3.4 Messages (Including Topics)

**class** `pyryver.objects.Message` (*ryver*: `pyryver.ryver.Ryver`, *data*: *dict*)

Bases: `pyryver.objects.Object`

Any generic Ryver message, with an author, body, and reactions.

**get\_body** () → *str*

Get the body of this message.

Note that this may be None in some circumstances.

**Returns** The body of this message.

**await get\_author** () → `pyryver.objects.User`

Get the author of this message, as a *User* object.

**Returns** The author of this message.

**await react** (*emoji*: *str*) → *None*

React to this task with an emoji.

---

**Note:** This method does **not** update the reactions property of this object.

---

**Parameters** `emoji` – The string name of the reaction (e.g. “thumbsup”).

**await unreact** (*emoji*: *str*) → *None*

Unreact with an emoji.

---

**Note:** This method does **not** update the reactions property of this object.

---

**Parameters** `emoji` – The string name of the reaction (e.g. “thumbsup”).

**get\_reactions** () → *dict*

Get the reactions on this message.

Returns a dict of {`emoji`: [users]}.

**Returns** A dict matching each emoji to the users that reacted with that emoji.

**get\_reaction\_counts** () → *dict*

Count the number of reactions for each emoji on a message.

Returns a dict of {`emoji`: `number_of_reacts`}.

**Returns** A dict matching each emoji to the number of users that reacted with that emoji.

**await delete** () → *None*

Delete this message.

```
class pyryver.objects.ChatMessage (ryver: pyryver.ryver.Ryver, data: dict)
```

Bases: `pyryver.objects.Message`

A message that was sent to a chat.

---

**Note:** Chat message are actually not a part of the Ryver REST APIs, since they aren't standalone objects (a chat is required to obtain one). As a result, they are a bit different from the other objects. Their IDs are strings rather than ints, and they are not instantiable (and therefore cannot be obtained from `Ryver.get_object()` or `Object.get_by_id()`.)

---

### Variables

- `MSG_TYPE_PRIVATE` – A private message between users.
- `MSG_TYPE_GROUPCHAT` – A message sent to a group chat (team or forum).
- `SUBTYPE_CHAT_MESSAGE` – A regular chat message sent by a user.
- `SUBTYPE_TOPIC_ANNOUNCEMENT` – An automatic chat message that announces the creation of a new topic.
- `SUBTYPE_TASK_ANNOUNCEMENT` – An automatic chat message that announces the creation of a new task.

```
MSG_TYPE_PRIVATE = 'chat'
```

```
MSG_TYPE_GROUPCHAT = 'groupchat'
```

```
SUBTYPE_CHAT_MESSAGE = 'chat'
```

```
SUBTYPE_TOPIC_ANNOUNCEMENT = 'topic_share'
```

```
SUBTYPE_TASK_ANNOUNCEMENT = 'task_share'
```

```
get_msg_type() → str
```

Get the type of this message (private message or group chat message).

The returned value will be one of the `MSG_TYPE_` constants in this class.

**Returns** The type of this message.

```
get_subtype() → str
```

Get the subtype of this message (regular message or topic/task announcement).

The returned value will be one of the `SUBTYPE_` constants in this class.

**Returns** The subtype of this message.

```
get_time() → str
```

Get the time this message was sent, as an ISO 8601 timestamp.

---

**Tip:** You can use `pyryver.util.iso8601_to_datetime()` to convert the timestamps returned by this method into a datetime.

---

**Returns** The time this message was sent, as an ISO 8601 timestamp.

```
get_author_id() → int
```

Get the ID of the author of this message.

**Returns** The author ID of the message.

**get\_chat\_type()** → *str*

Gets the type of chat that this message was sent to, as a string.

**Returns** The type of the chat this message was sent to.

**get\_chat\_id()** → *int*

Get the id of the chat that this message was sent to, as an integer.

Note that this is different from *get\_chat()* as the id is stored in the message data and is good for most API purposes while *get\_chat()* returns an entire Chat object, which might not be necessary depending on what you're trying to do.

**Returns** The ID of the chat this message was sent to.

**get\_attached\_file()** → *pyryver.objects.File*

Get the file attached to this message, if there is one.

---

**Note:** Files obtained from this only have a limited amount of information, including the ID, name, URL, size and type. Attempting to get any other info will result in a *KeyError*. To obtain the full file info, use *Ryver.get\_object()* with *TYPE\_FILE* and the ID.

---



---

**Note:** Even if the attachment was a link and not a file, it will still be returned as a *File* object, as there seems to be no way of telling the type of the attachment just from the info provided in the message object.

---

Returns *None* otherwise.

**Returns** The attached file or link.

**get\_announced\_topic\_id()** → *int*

Get the ID of the topic this message is announcing.

This is only a valid operation for messages that announce a new topic. In other words, *ChatMessage.get\_subtype()* must return *ChatMessage.SUBTYPE\_TOPIC\_ANNOUNCEMENT*. If this message does not announce a topic, this method will return *None*.

**Returns** The ID of the topic that is announced by this message, or *None*.

**get\_announced\_task\_id()** → *int*

Get the ID of the task this message is announcing.

This is only a valid operation for messages that announce a new task. In other words, *ChatMessage.get\_subtype()* must return *ChatMessage.SUBTYPE\_TASK\_ANNOUNCEMENT*. If this message does not announce a task, this method will return *None*.

**Returns** The ID of the task that is announced by this message, or *None*.

**await get\_author()** → *pyryver.objects.User*

Get the author of this message, as a *User* object.

---

**Tip:** For chat messages, you can get the author ID without sending any requests, with *ChatMessage.get\_author\_id()*.

---

**Returns** The author of this message.

**await get\_chat()** → *pyryver.objects.Chat*

Get the chat that this message was sent to, as a *Chat* object.

**Returns** The chat this message was sent to.

**await react** (*emoji: str*) → *None*  
React to this task with an emoji.

---

**Note:** This method does **not** update the reactions property of this object.

---

**Parameters emoji** – The string name of the reaction (e.g. “thumbsup”).

**await unreact** (*emoji: str*) → *None*  
Unreact with an emoji.

---

**Note:** This method does **not** update the reactions property of this object.

---

**Parameters emoji** – The string name of the reaction (e.g. “thumbsup”).

**await delete** () → *None*  
Deletes the message.

**await edit** (*message: str = NO\_CHANGE, creator: pyryver.objects.Creator = NO\_CHANGE, attachment: pyryver.objects.Storage = NO\_CHANGE, from\_user: Optional[pyryver.objects.User] = None*) → *None*  
Edit this message.

---

**Note:** You can only edit a message if it was sent by you (even if you are an admin). Attempting to edit another user’s message will result in a `aiohttp.ClientResponseError`.

This also updates these properties in this object.

---

---

**Tip:** To attach a file to the message, use `pyryver.ryver.Ryver.upload_file()` to upload the file you wish to attach. Alternatively, use `pyryver.ryver.Ryver.create_link()` for a link attachment.

---

**Warning:** `from_user` **must** be set when using attachments with private messages. Otherwise, a `ValueError` will be raised. It should be set to the user that is sending the message (the user currently logged in).

It is not required to be set if the message is being sent to a forum/team.

If any parameters are unspecified or `NO_CHANGE`, they will be left as-is. Passing `None` for parameters for which `None` is not a valid value will also result in the value being unchanged.

#### Parameters

- **message** – The new message contents (optional).
- **creator** – The new creator (optional).
- **attachment** – An attachment for this message, e.g. a file or a link (optional).

- **from\_user** – The user that is sending this message (the user currently logged in); **must** be set when using attachments in private messages (optional).

**Raises** `ValueError` – If a `from_user` is not provided for a private message attachment.

**class** `pyryver.objects.Topic` (*ryver*: `pyryver.ryver.Ryver`, *data*: `dict`)

Bases: `pyryver.objects.PostedMessage`

A Ryver topic in a chat.

**get\_subject** () → `str`

Get the subject of this topic.

**Returns** The subject of this topic.

**is\_stickied** () → `bool`

Return whether this topic is stickied (pinned) to the top of the list.

**Returns** Whether this topic is stickied.

**is\_archived** () → `bool`

Return whether this topic is archived.

**Returns** Whether this topic is archived.

**await archive** (*archived*: `bool = True`) → `None`

Archive or un-archive this topic.

**Parameters** **archived** – Whether the topic should be archived.

**await unarchive** () → `None`

Un-archive this topic.

This is the same as calling `Topic.archive()` with `False`.

**await reply** (*message*: `str`, *creator*: `pyryver.objects.Creator = None`, *attachments*: `Iterable[Storage]` = `None`) → `pyryver.objects.TopicReply`

Reply to the topic.

---

**Note:** For unknown reasons, overriding the creator does not seem to work for this method.

---



---

**Tip:** To attach files to the reply, use `pyryver.ryver.Ryver.upload_file()` to upload the files you wish to attach. Alternatively, use `pyryver.ryver.Ryver.create_link()` for link attachments.

---

### Parameters

- **message** – The reply content
- **creator** – The overridden creator (optional). **Does not work.**
- **attachments** – A number of attachments for this reply (optional). Note: Use `Storage` objects, not `File` objects! These attachments could be links or files.

**Returns** The created reply.

**async for ... in get\_replies** (*top*: `int = -1`, *skip*: `int = 0`) → `AsyncIterator[pyryver.objects.TopicReply]`

Get all the replies to this topic.

### Parameters

- **top** – Maximum number of results; optional, if unspecified return all results.
- **skip** – Skip this many results (optional).

**Returns** An async iterator for the replies of this topic.

```
await edit (subject: str = NO_CHANGE, body: str = NO_CHANGE, stickied: bool = NO_CHANGE,  
            creator: pyryver.objects.Creator = NO_CHANGE, attachments: Iterable[Storage] =  
            NO_CHANGE) → None  
Edit this topic.
```

---

**Note:** Unlike editing topic replies and chat messages, admins have permission to edit any topic regardless of whether they created it.

The file attachments (if specified) will **replace** all existing attachments.

Additionally, this method also updates these properties in this object.

---

If any parameters are unspecified or NO\_CHANGE, they will be left as-is. Passing None for parameters for which None is not a valid value will also result in the value being unchanged.

#### Parameters

- **subject** – The subject (or title) of the topic (optional).
- **body** – The contents of the topic (optional).
- **stickied** – Whether to sticky (pin) this topic to the top of the list (optional).
- **creator** – The overridden creator (optional).
- **attachments** – A number of attachments for this topic (optional). Note: Use *Storage* objects, not *File* objects! These attachments could be links or files.

```
class pyryver.objects.TopicReply (ryver: pyryver.ryver.Ryver, data: dict)  
    Bases: pyryver.objects.PostedComment
```

A reply on a topic.

```
await get_topic () → pyryver.objects.Topic  
Get the topic this reply was sent to.
```

**Returns** The topic associated with this reply.

## 2.3.5 Tasks

```
class pyryver.objects.TaskBoard (ryver: pyryver.ryver.Ryver, data: dict)  
    Bases: pyryver.objects.Object
```

A Ryver task board.

#### Variables

- **BOARD\_TYPE\_BOARD** – A task board with categories.
- **BOARD\_TYPE\_LIST** – A task list (i.e. a task board without categories).

```
BOARD_TYPE_BOARD = 'board'
```

```
BOARD_TYPE_LIST = 'list'
```

**get\_name()** → *str*

Get the name of this task board.

This will be the same as the name of the forum/team/user the task board is associated with.

**Returns** The name of the task board.

**get\_board\_type()** → *str*

Get the type of this task board.

Returns one of the `BOARD_TYPE_` constants in this class.

`BOARD_TYPE_BOARD` is a task board with categories, while `BOARD_TYPE_LIST` is a task list without categories.

Not to be confused with *Object.get\_type()*.

**Returns** The type of this task board.

**get\_prefix()** → *str*

Get the prefix for this task board.

The prefix can be used to reference tasks across Ryver using the `#PREFIX-ID` syntax.

If a task board does not have task IDs set up, this will return `None`.

**Returns** The task prefix for this task board.

**async for ... in get\_categories** (*top: int = -1, skip: int = 0*) → *AsyncIterator[pyryver.objects.TaskCategory]*

Get all the categories in this task board.

Even if this task board has no categories (a list), this method will still return a single category, “Uncategorized”.

**Parameters**

- **top** – Maximum number of results; optional, if unspecified return all results.
- **skip** – Skip this many results (optional).

**Returns** An async iterator for the categories in this task board.

**await create\_category** (*name: str, done: bool = False*) → *pyryver.objects.TaskCategory*

Create a new task category in this task board.

**Parameters**

- **name** – The name of this category.
- **done** – Whether tasks moved to this category should be marked as done.

**Returns** The created category.

**async for ... in get\_tasks** (*archived: bool = None, top: int = -1, skip: int = 0*) → *AsyncIterator[pyryver.objects.Task]*

Get all the tasks in this task board.

If `archived` is unspecified or `None`, all tasks will be retrieved. If `archived` is either `True` or `False`, only tasks that are archived or unarchived are retrieved, respectively.

This will not retrieve sub-tasks (checklist items).

**Parameters**

- **archived** – If `True` or `False`, only retrieve tasks that are archived or unarchived; if `None`, retrieve all tasks (optional).

- **top** – Maximum number of results; optional, if unspecified return all results.
- **skip** – Skip this many results (optional).

**Returns** An async iterator for the tasks in this task board.

```
await create_task (subject: str, body: str = "", category: Optional[pyryver.objects.TaskCategory]  
                  = None, assignees: Iterable[pyryver.objects.User] = None, due_date: str =  
                  None, tags: Union[List[str], List[pyryver.objects.TaskTag]] = None, check-  
                  list: Iterable[str] = None, attachments: Iterable[Storage] = None) →  
                  pyryver.objects.Task
```

Create a task in this task board.

If the category is *None*, this task will be put in the “Uncategorized” category. For list type task boards, the category can be left as *None*.

---

**Tip:** To attach files to the task, use `pyryver.ryver.Ryver.upload_file()` to upload the files you wish to attach. Alternatively, use `pyryver.ryver.Ryver.create_link()` for link attachments.

---

---

**Tip:** You can use `pyryver.util.datetime_to_iso8601()` to turn datetime objects into timestamps that Ryver will accept.

Note that timezone info **must** be present in the timestamp. Otherwise, this will result in a 400 Bad Request.

---

### Parameters

- **subject** – The subject, or title of the task.
- **body** – The body, or description of the task (optional).
- **category** – The category of the task; if *None*, the task will be uncategorized (optional).
- **assignees** – A list of users to assign for this task (optional).
- **due\_date** – The due date, as an ISO 8601 formatted string **with a timezone offset** (optional).
- **tags** – A list of tags of this task (optional). Can either be a list of strings or a list of ``TaskTag``s.
- **checklist** – A list of strings which are used as the item names for the checklist of this task (optional).
- **attachments** – A list of attachments for this task (optional). Note: Use *Storage* objects, not *File* objects! These attachments could be links or files.

**Returns** The created task.

```
await get_chat () → pyryver.objects.Chat
```

Get the chat this task board is in.

If this task board is a public task board in a forum or team, a *GroupChat* object will be returned. If this task board is a personal (user) task board, a *User* object will be returned.

---

**Note:** API Detail: Although public task boards can be in either a forum or a team, *GroupChat* objects returned by this method will *always* be instances of *Team*, even if the task board exists in a forum. There



seems to be no way of determining whether the returned chat is actually a forum or a team. However, as both forums/teams have the exact same methods, this detail shouldn't matter.

**Returns** The forum/team/user this task board is in.

**class** `pyryver.objects.TaskCategory` (*ryver*: `pyryver.pyryver.Ryver`, *data*: `dict`)  
 Bases: `pyryver.objects.Object`

A category in a task board.

#### Variables

- `CATEGORY_TYPE_UNCATEGORIZED` – The “Uncategorized” category, created by the system (present in all task boards regardless of whether it is shown).
- `CATEGORY_TYPE_DONE` – A user-created category in which all tasks are marked as done.
- `CATEGORY_TYPE_OTHER` – Other categories (user-created and not marked as done).

`CATEGORY_TYPE_UNCATEGORIZED` = 'uncategorized'

`CATEGORY_TYPE_DONE` = 'done'

`CATEGORY_TYPE_OTHER` = 'user'

`get_name()` → `str`

Get the name of this category.

**Returns** The name of this category.

`get_position()` → `int`

Get the position of this category in this task board.

Positions are numbered from left to right.

---

**Note:** The first user-created category that is shown in the UI has a position of 1. This is because the “Uncategorized” category, which is present in all task boards, always has a position of 0, even when it's not shown (when there are no uncategorized tasks).

---

**Returns** The position of this category.

`get_category_type()` → `str`

Get the type of this task category.

Returns one of the `CATEGORY_TYPE_` constants in this class.

**Returns** The type of this category.

**await** `get_task_board()` → `pyryver.objects.TaskBoard`

Get the task board that contains this category.

**Returns** The task board.

**await** `edit` (*name*: `str` = `NO_CHANGE`, *done*: `bool` = `NO_CHANGE`) → `None`

Edit this category.

---

**Note:** This method also updates these properties in this object.

---

**Warning:** `done` should **never** be set for the “Uncategorized” category, as its type cannot be modified. If set, a `ValueError` will be raised.

If any parameters are unspecified or `NO_CHANGE`, they will be left as-is. Passing `None` for parameters for which `None` is not a valid value will also result in the value being unchanged.

**Parameters**

- **name** – The name of this category (optional).
- **done** – Whether tasks moved to this category should be marked as done (optional).

**Raises** `ValueError` – If attempting to modify the type of the “Uncategorized” category.

**await delete** (*move\_to*: `Optional[pyryver.objects.TaskCategory]` = `None`) → `None`  
Delete this category.

If *move\_to* is specified, the tasks that are in this category will be moved into the specified category and not archived. Otherwise, the tasks will be archived.

**Parameters** *move\_to* – Another category to move the tasks in this category to (optional).

**await archive** (*completed\_only*: `bool` = `False`) → `None`  
Archive either all or only completed tasks in this category.

---

**Note:** This archives the tasks in this category, not the category itself.

---

**Parameters** *completed\_only* – Whether to only archive completed tasks (optional).

**await move\_position** (*position*: `int`) → `None`  
Move this category’s display position in the UI.

---

**Note:** This also updates the position property of this object.

The first user-created category that is shown in the UI has a position of 1. This is because the “Uncategorized” category, which is present in all task boards, always has a position of 0, even when it’s not shown (when there are no uncategorized tasks).

Therefore, no user-created task category can ever be moved to position 0, and the “Uncategorized” category should never be moved.

---

**Parameters** *position* – The new display position.

**await move\_tasks** (*category*: `pyryver.objects.TaskCategory`, *completed\_only*: `bool` = `False`) → `None`  
Move either all or only completed tasks in this category to another category.

**Parameters**

- **category** – The category to move to.
- **completed\_only** – Whether to only move completed tasks (optional).

**async for ... in get\_tasks** (*archived*: `bool` = `None`, *top*: `int` = `-1`, *skip*: `int` = `0`) → `AsyncIterator[pyryver.objects.Task]`  
Get all the tasks in this category.

If `archived` is unspecified or `None`, all tasks will be retrieved. If `archived` is either `True` or `False`, only tasks that are archived or unarchived are retrieved, respectively.

This will not retrieve sub-tasks (checklist items).

#### Parameters

- **archived** – If `True` or `False`, only retrieve tasks that are archived or unarchived; if `None`, retrieve all tasks (optional).
- **top** – Maximum number of results; optional, if unspecified return all results.
- **skip** – Skip this many results (optional).

**Returns** An async iterator for the tasks in this category.

```
class pyryver.objects.Task (ryver: pyryver.ryver.Ryver, data: dict)
```

Bases: `pyryver.objects.PostedMessage`

A Ryver task.

```
is_archived () → bool
```

Get whether this task has been archived.

**Returns** Whether this task has been archived.

```
get_subject () → str
```

Get the subject (title) of this task.

**Returns** The subject of this task.

```
get_due_date () → str
```

Get the due date as an ISO 8601 timestamp.

If there is no due date, this method will return `None`.

---

**Tip:** You can use `pyryver.util.iso8601_to_datetime()` to convert the timestamps returned by this method into a datetime.

---

**Returns** The due date of this task.

```
get_complete_date () → str
```

Get the complete date as an ISO 8601 timestamp.

If the task has not been completed, this method will return `None`.

---

**Tip:** You can use `pyryver.util.iso8601_to_datetime()` to convert the timestamps returned by this method into a datetime.

---

**Returns** The completion date of this task.

```
is_completed () → bool
```

Get whether this task has been completed.

**Returns** Whether this task has been completed.

```
get_short_repr () → str
```

Get the short representation of this task.

This can be used to reference this task across Ryver. It has the form PREFIX-ID, and is also unique across the entire organization.

If the task board does not have prefixes set up, this will return None.

**Returns** The unique short representation of this task.

**get\_position()** → *int*

Get the position of this task in its category or the task list.

The first task has a position of 0.

**Returns** The position of this task in its category.

**get\_comments\_count()** → *int*

Get how many comments this task has received.

**Returns** The number of comments this task has received.

**get\_attachments\_count()** → *int*

Get how many attachments this task has.

**Returns** The number of attachments this task has.

**get\_tags()** → *List[str]*

Get all the tags of this task.

---

**Note:** The tags are returned as a list of strings, not a list of `TaskTag`s`.

---

**Returns** All the tags of this task, as strings.

**await get\_task\_board()** → *pyryver.objects.TaskBoard*

Get the task board this task is in.

**Returns** The task board containing this task.

**await get\_task\_category()** → *pyryver.objects.TaskCategory*

Get the category this task is in.

**Returns** The category containing this task.

**await get\_assignees()** → *List[pyryver.objects.User]*

Get the assignees of this task.

**Returns** The assignees of this task,.

**await set\_complete\_date(time: str = "")** → *None*

Set the complete date of this task, which also marks whether this task is complete.

An optional completion time can be specified in the form of an ISO 8601 timestamp with a timezone offset. If not specified or an empty string, the current time will be used.

---

**Tip:** You can use `pyryver.util.datetime_to_iso8601()` to turn datetime objects into timestamps that Ryver will accept.

Note that timezone info **must** be present in the timestamp. Otherwise, this will result in a 400 Bad Request.

---

If None is used as the time, in addition to clearing the complete date, this task will also be un-completed.

---

**Note:** This also updates the complete date property in this object.

---

If a time of None is given, this task will be marked as uncomplete.

---

**Parameters** `time` – The completion time (optional).

**await** `set_due_date (time: str)`

Set the due date of this task.

The time must be specified as an ISO 8601 timestamp with a timezone offset. It can also be None, in which case there will be no due date.

---

**Tip:** You can use `pyryver.util.datetime_to_iso8601()` to turn datetime objects into timestamps that Ryver will accept.

Note that timezone info **must** be present in the timestamp. Otherwise, this will result in a 400 Bad Request.

---



---

**Note:** This also updates the due date property in this object.

---

**Parameters** `time` – The new due date.

**await** `complete ()` → None

Mark this task as complete.

**await** `uncomplete ()` → None

Mark this task as uncomplete.

**await** `archive (archived: bool = True)` → None

Archive or un-archive this task.

**Parameters** `archived` – Whether the task should be archived.

**await** `unarchive ()` → None

Un-archive this task.

This is the same as calling `Task.archive()` with False.

**await** `move (category: pyryver.objects.TaskCategory, position: int)` → None

Move this task to another category or to a different position in the same category.

---

**Note:** This also updates the position property of this object.

---

**await** `get_checklist (top: int = -1, skip: int = 0)` → AsyncIterator[pyryver.objects.Task]

Get the checklist items of this task (subtasks).

If this task has no checklist, an empty list will be returned.

The checklist items are Task objects; complete or uncomplete those objects to change the checklist status.

**Parameters**

- **top** – Maximum number of results; optional, if unspecified return all results.
- **skip** – Skip this many results (optional).

**Returns** An async iterator for the tasks in the checklist of this task.

**await get\_parent()** → *pyryver.objects.Task*

Get the parent task of this sub-task (checklist item).

This only works if this task is an item in another task's checklist. Otherwise, this will return `None`.

**Returns** The parent of this sub-task (checklist item), or `None` if this task is not a sub-task.

**await add\_to\_checklist(items: Iterable[str])** → `None`

Add items to this task's checklist.

**Parameters items** – The names of the items to add.

**await set\_checklist(items: Iterable[Task])** → `None`

Set the contents of this task's checklist.

This will overwrite existing checklist items.

---

**Note:** This method should be used for deleting checklist items only. It cannot be used to add new items as the tasks would have to be created first. To add new items, use *Task.add\_to\_checklist()*.

---

**Parameters items** – The items in the checklist.

**await edit** (*subject: str = NO\_CHANGE, body: str = NO\_CHANGE, category: pyryver.objects.TaskCategory = NO\_CHANGE, assignees: Iterable[pyryver.objects.User] = NO\_CHANGE, due\_date: str = NO\_CHANGE, tags: Union[List[str], List[pyryver.objects.TaskTag]] = NO\_CHANGE, attachments: Iterable[Storage] = NO\_CHANGE*) → `None`

Edit this task.

---

**Note:** Admins can edit any task regardless of whether they created it.

The file attachments (if specified) will **replace** all existing attachments.

Additionally, this method also updates these properties in this object.

---

---

**Note:** While a value of `None` for the category in *TaskBoard.create\_task()* will result in the task being placed in the “Uncategorized” category, `None` is not a valid value for the category in this method, and if used will result in the category being unmodified.

This method does not support editing the checklist. To edit the checklist, use *Task.get\_checklist()*, *Task.set\_checklist()* and *Task.add\_to\_checklist()*.

---

If any parameters are unspecified or `NO_CHANGE`, they will be left as-is. Passing `None` for parameters for which `None` is not a valid value will also result in the value being unchanged.

---

**Tip:** To attach files to the task, use *pyryver.ryver.Ryver.upload\_file()* to upload the files you wish to attach. Alternatively, use *pyryver.ryver.Ryver.create\_link()* for link attachments.

---

---

**Tip:** You can use *pyryver.util.datetime\_to\_iso8601()* to turn datetime objects into timestamps that Ryver will accept.

---

Note that timezone info **must** be present in the timestamp. Otherwise, this will result in a 400 Bad Request.

### Parameters

- **subject** – The subject, or title of the task (optional).
- **body** – The body, or description of the task (optional).
- **category** – The category of the task; if None, the task will be uncategorized (optional).
- **assignees** – A list of users to assign for this task (optional).
- **due\_date** – The due date, as an ISO 8601 formatted string **with a timezone offset** (optional).
- **tags** – A list of tags of this task (optional). Can either be a list of strings or a list of ``TaskTag``s.
- **attachments** – A list of attachments for this task (optional). Note: Use *Storage* objects, not *File* objects! These attachments could be links or files.

**async for ... in get\_comments** (*top*: *int* = - 1, *skip*: *int* = 0) → AsyncIterator[pyryver.objects.TaskComment]

Get all the comments on this task.

### Parameters

- **top** – Maximum number of results; optional, if unspecified return all results.
- **skip** – Skip this many results (optional).

**Returns** An async iterator for the comments of this task.

**await comment** (*message*: *str*, *creator*: *pyryver.objects.Creator* = None, *attachments*: *Iterable[Storage]* = None) → pyryver.objects.TaskComment

Comment on this task.

**Note:** For unknown reasons, overriding the creator does not seem to work for this method.

**Tip:** To attach files to the comment, use *pyryver.ryver.Ryver.upload\_file()* to upload the files you wish to attach. Alternatively, use *pyryver.ryver.Ryver.create\_link()* for link attachments.

### Parameters

- **message** – The comment's contents.
- **creator** – The overridden creator (optional). **Does not work.**
- **attachments** – A number of attachments for this comment (optional). Note: Use *Storage* objects, not *File* objects! These attachments could be links or files.

**Returns** The created comment.

## 2.3.6 Files

**class** `pyryver.objects.Storage` (*ryver*: `pyryver.ryver.Ryver`, *data*: *dict*)

Bases: `pyryver.objects.Object`

Generic storage (message attachments), e.g. files and links.

### Variables

- `STORAGE_TYPE_FILE` – An uploaded file.
- `STORAGE_TYPE_LINK` – A link.

`STORAGE_TYPE_FILE = 'file'`

`STORAGE_TYPE_LINK = 'link'`

`get_storage_type()` → *str*

Get the type of this storage object.

Returns one of the `STORAGE_TYPE_` constants in this class.

Not to be confused with `Object.get_type()`.

**Returns** The type of this storage object.

`get_name()` → *str*

Get the name of this storage object.

**Returns** The name of this storage object.

`get_size()` → *str*

Get the size of the object stored.

**Returns** The size of the thing stored.

`get_content_id()` → *int*

Get the ID of the **contents** of this storage object.

If a link is stored, then this will return the same value as `get_id()`. If a file is stored, then this will return the ID of the file instead.

**Returns** The ID of the contents of this storage object.

`get_content_MIME_type()` → *str*

Get the MIME type of the content.

For links, this will be “application/octet-stream”.

**Returns** The MIME type of the contents of this storage object.

`get_file()` → `pyryver.objects.File`

Get the file stored.

**Warning:** This method will raise a `KeyError` if the type of this storage is not `TYPE_FILE`!

**Returns** The file stored.

`get_content_url()` → *str*

Get the URL of the contents.

If a link is stored, then this will be the URL of the link. If a file is stored, then this will be the URL of the file contents.



**Returns** The content's URL.

**await delete()** → `None`

Delete this storage object and the file it contains if there is one.

**await make\_avatar\_of**(*chat*: `pyryver.objects.Chat`) → `None`

Make this image an avatar of a chat.

**Parameters** **chat** – The chat to change the avatar for.

**Raises** **ValueError** – If the contents of this storage object is not a file.

**class** `pyryver.objects.File`(*ryver*: `pyryver.ryver.Ryver`, *data*: *dict*)

Bases: `pyryver.objects.Object`

An uploaded file.

**get\_title()** → `str`

Get the title of this file.

**Returns** The title of this file.

**get\_name()** → `str`

Get the name of this file.

**Returns** The name of this file.

**get\_size()** → `int`

Get the size of this file in bytes.

**Returns** The size of the file in bytes.

**get\_url()** → `str`

Get the URL of this file.

**Returns** The URL of the file.

**get\_MIME\_type()** → `str`

Get the MIME type of this file.

**Returns** The MIME type of the file.

**request\_data()** → `aiohttp.client_reqrep.ClientResponse`

Get the file data.

Returns an aiohttp request response to the file URL.

**Returns** An `aiohttp.ClientResponse` object representing a request response for the file contents.

**await download\_data()** → `bytes`

Download the file data.

**Returns** The downloaded file data, as raw bytes.

**await delete()** → `None`

Delete this file.

### 2.3.7 Notifications

**class** `pyryver.objects.Notification` (*ryver*: `pyryver.ryver.Ryver`, *data*: *dict*)

Bases: `pyryver.objects.Object`

A Ryver user notification.

#### Variables

- **`PREDICATE_MENTION`** – The user was directly mentioned with an @mention.
- **`PREDICATE_GROUP_MENTION`** – The user was mentioned through @team or @here.
- **`PREDICATE_COMMENT`** – A topic was commented on.
- **`PREDICATE_TASK_COMPLETED`** – A task was completed.

**`PREDICATE_MENTION`** = `'chat_mention'`

**`PREDICATE_GROUP_MENTION`** = `'group_mention'`

**`PREDICATE_COMMENT`** = `'commented_on'`

**`PREDICATE_TASK_COMPLETED`** = `'completed'`

**`get_predicate()`** → `str`

Get the “predicate”, or type, of this notification.

This usually returns one of the `PREDICATE_` constants in this class. Note that the list currently provided is not exhaustive; this method may return a value that isn’t one of the constants.

**Returns** The predicate of this notification.

**`get_subject_entity_type()`** → `str`

Get the entity type of the “subject” of this notification.

The exact nature of this field is not yet known, but it seems to be the user that did the action which caused this notification.

**Returns** The entity type of this notification’s subject.

**`get_subject_id()`** → `int`

Get the ID of the “subject” of this notification.

The exact nature of this field is not yet known, but it seems to be the user that did the action which caused this notification.

**Returns** The ID of this notification’s subject.

**`get_subjects()`** → `List[dict]`

Get the “subjects” of this notification.

The exact nature of this field is not yet known, but it seems to be the user that did the action which caused this notification. It is also unknown why this is an array, as it seems to only ever contain one element.

**Returns** The subjects of this notification.

**`get_object_entity_type()`** → `str`

Get entity type of the “object” of this notification.

The exact nature of this field is not yet known, but it seems to be the target of an @mention for mentions, the topic for topic comments, or the task for task activities.

**Returns** The entity type of the object of this notification.

**get\_object\_id()** → *int*

Get the ID of the “object” of this notification.

The exact nature of this field is not yet known, but it seems to be the target of an @mention for mentions, the topic for topic comments, or the task for task activities.

**Returns** The ID of the object of this notification.

**get\_object()** → *dict*

Get the “object” of this notification.

The exact nature of this field is not yet known, but it seems to be the target of an @mention for mentions, the topic for topic comments, or the task for task activities.

**Returns** The object of this notification.

**get\_via\_entity\_type()** → *str*

Get the entity type of the “via” of this notification.

The exact nature of this field is not yet known, but it seems to contain information about whatever caused this notification. For example, the chat message of an @mention, the topic reply for a reply, etc. For task completions, there is NO via.

**Returns** The entity type of the via of this notification.

**get\_via\_id()** → *int*

Get the ID of the “via” of this notification.

The exact nature of this field is not yet known, but it seems to contain information about whatever caused this notification. For example, the chat message of an @mention, the topic reply for a reply, etc. For task completions, there is NO via.

**Returns** The ID of the via of this notification.

**get\_via()** → *dict*

Get the “via” of this notification.

The exact nature of this field is not yet known, but it seems to contain information about whatever caused this notification. For example, the chat message of an @mention, the topic reply for a reply, etc. For task completions, there is NO via.

**Returns** The via of this notification.

**get\_new()** → *bool*

Get whether this notification is new.

**Returns** Whether this notification is new.

**get\_unread()** → *bool*

Get whether this notification is unread.

**Returns** Whether this notification is unread.

**await set\_status(unread: bool, new: bool)** → *None*

Set the read/unread and seen/unseen (new) status of this notification.

---

**Note:** This also updates these properties in this object.

---

## 2.3.8 Creators

**class** `pyryver.objects.Creator` (*name: str, avatar: str = ""*)  
A message creator, with a name and an avatar.

This can be used to override the sender's display name and avatar.

### Parameters

- **name** – The overridden display name
- **avatar** – The overridden avatar (a url to an image)

**to\_dict** () → `dict`  
Convert this Creator object to a dictionary to be used in a request.

**Warning:** This method is intended for internal use only.

**Returns** The dict representation of this object.

## 2.4 Utilities

### 2.4.1 Cache Data Storage

Cache storages are used by `Ryver` to cache organization data locally.

In large organizations with lots of data, caching can be used to make the program load some organization data locally instead of fetching them from Ryver. This can significantly improve program startup times.

Currently, the lists of all users, forums, and teams can be cached.

**See also:**

The `Ryver` class

**class** `pyryver.cache_storage.AbstractCacheStorage`  
Bases: `abc.ABC`

An abstract class defining the requirements for cache storages.

A cache storage is used by the `Ryver` class to cache chats data to improve performance.

**abstractmethod load** (*ryver: Ryver, obj\_type: str*) → `List[pyryver.objects.Object]`  
Load all saved objects of a specific type.

If no objects were saved, this method returns an empty list.

### Parameters

- **ryver** – The Ryver session to associate the objects with.
- **obj\_type** – The type of the objects to load.

**Returns** A list of saved objects of that type.

**abstractmethod save** (*obj\_type: str, data: Iterable[pyryver.objects.Object]*) → `None`  
Save all objects of a specific type.

### Parameters

- **obj\_type** – The type of the objects to save.

- **data** – The objects to save.

**class** `pyryver.cache_storage.FileCacheStorage` (*root\_dir: str = '.', prefix: str = ''*)  
 Bases: `pyryver.cache_storage.AbstractCacheStorage`

A cache storage implementation using files.

**load** (*ryver: Ryver, obj\_type: str*) → List[`pyryver.objects.Object`]  
 Load all saved objects of a specific type.

If no objects were saved, this method returns an empty list.

#### Parameters

- **ryver** – The Ryver session to associate the objects with.
- **obj\_type** – The type of the objects to load.

**Returns** A list of saved objects of that type.

**save** (*obj\_type: str, data: Iterable[`pyryver.objects.Object`]*) → None  
 Save all objects of a specific type.

#### Parameters

- **obj\_type** – The type of the objects to save.
- **data** – The objects to save.

## 2.4.2 API Helpers

This module contains various constants and utilities for both internal and external use.

`pyryver.util.NO_CHANGE = NO_CHANGE`

This constant is used in the various `edit()` methods. It's used to indicate that there should be no change to the value of a field, in the cases where None is a valid value.

`pyryver.util.get_type_from_entity` (*entity\_type: str*) → str

Gets the object type from the entity type.

Note that it doesn't actually return a class, just the string.

**Warning:** This function is intended for internal use only.

**Parameters** **entity\_type** – The entity type of the object.

**Returns** The regular type of the object, or None if an invalid type.

**await** `pyryver.util.retry_until_available` (*action: Callable[[...], Awaitable[T]], \*args, timeout: float = None, retry\_delay: float = 0.5, \*\*kwargs*) → T

Repeatedly tries to do some action (usually getting a resource) until the resource becomes available or a timeout elapses.

This function will try to run the given coroutine once every `retry_delay` seconds. If it results in a 404, the function tries again. Otherwise, the exception is raised.

If it times out, an `asyncio.TimeoutError` will be raised.

`args` and `kwargs` are passed to the coroutine.

For example, this snippet will try to get a message from a chat by ID with a timeout of 5 seconds, retrying after 1 second if a 404 occurs: .. code-block:: python

```
message = await pyryver.retry_until_available(chat.get_message, message_id, timeout=5.0,
retry_delay=1.0)
```

---

**Note:** Do not “call” the coro first and pass a future to this function; instead, pass a reference to the coro directly, as seen in the example. This is done because a single future cannot be awaited multiple times, so a new one is created each time the function retries.

---

### Parameters

- **action** – The coroutine to run.
- **timeout** – The timeout in seconds, or None for no timeout (optional).
- **retry\_delay** – The duration in seconds to wait before trying again (optional).

**Returns** The return value of the coroutine.

`pyryver.util.iso8601_to_datetime(timestamp: str) → datetime.datetime`

Convert an ISO 8601 timestamp as returned by the Ryver API into a datetime.

**Warning:** This function does not handle *all* valid ISO 8601 timestamps; it only tries to handle the ones returned by the Ryver API. It uses the simple format string "%Y-%m-%dT%H:%M:%S%z" to parse the timestamp.

Therefore, this function should **not** be used for parsing any ISO timestamp; to do that, consider using `dateutil.parser`, or some alternative method.

**Parameters** **timestamp** – The ISO 8601 timestamp.

`pyryver.util.datetime_to_iso8601(timestamp: datetime.datetime) → str`

Convert a datetime into an ISO 8601 timestamp as used by the Ryver API.

**Parameters** **timestamp** – The datetime to convert.

`pyryver.objects.get_obj_by_field(objs: Iterable[pyryver.objects.Object], field: str, value: Any) → pyryver.objects.Object`

Gets an object from a list of objects by a field.

For example, this function can find a chat with a specific nickname in a list of chats.

### Parameters

- **objs** – List of objects to search in.
- **field** – The field’s name (usually a constant beginning with `FIELD_` in `pyryver.util`) within the object’s JSON data.
- **value** – The value to look for.

**Returns** The object with the matching field, or None if not found.

### 2.4.3 Entity Types

`pyryver.util.TYPE_USER`  
Corresponds to `pyryver.objects.User`.

`pyryver.util.TYPE_FORUM`  
Corresponds to `pyryver.objects.Forum`.

`pyryver.util.TYPE_TEAM`  
Corresponds to `pyryver.objects.Team`.

`pyryver.util.TYPE_GROUPCHAT_MEMBER`  
Corresponds to `pyryver.objects.GroupChatMember`.

`pyryver.util.TYPE_TOPIC`  
Corresponds to `pyryver.objects.Topic`.

`pyryver.util.TYPE_TOPIC_REPLY`  
Corresponds to `pyryver.objects.TopicReply`.

`pyryver.util.TYPE_NOTIFICATION`  
Corresponds to `pyryver.objects.Notification`.

`pyryver.util.TYPE_STORAGE`  
Corresponds to `pyryver.objects.Storage`.

`pyryver.util.TYPE_FILE`  
Corresponds to `pyryver.objects.File`.

### 2.4.4 Common Field Names

`pyryver.util.FIELD_USERNAME`

`pyryver.util.FIELD_EMAIL_ADDR`

`pyryver.util.FIELD_DISPLAY_NAME`  
The object's display name (friendly name)

`pyryver.util.FIELD_NAME`

`pyryver.util.FIELD_NICKNAME`

`pyryver.util.FIELD_ID`  
The object's ID, sometimes an `int`, sometimes a `str` depending on the object type.

`pyryver.util.FIELD_JID`  
The object's JID, or JabberID. Used in the live socket interface for referring to chats.





## PYTHON MODULE INDEX

### p

`pyryver.cache_storage`, [48](#)  
`pyryver.util`, [49](#)



## A

AbstractCacheStorage (class in  
pyryver.cache\_storage), 48  
accepted\_invite() (pyryver.objects.User method),  
26  
add\_member() (pyryver.objects.GroupChat method),  
23  
add\_to\_chat() (pyryver.objects.User method), 27  
add\_to\_checklist() (pyryver.objects.Task  
method), 42  
archive() (pyryver.objects.Task method), 41  
archive() (pyryver.objects.TaskCategory method), 38  
archive() (pyryver.objects.Topic method), 33  
as\_user() (pyryver.objects.GroupChatMember  
method), 28

## B

BOARD\_TYPE\_BOARD (pyryver.objects.TaskBoard at-  
tribute), 34  
BOARD\_TYPE\_LIST (pyryver.objects.TaskBoard  
attribute), 34

## C

CATEGORY\_TYPE\_DONE  
(pyryver.objects.TaskCategory attribute),  
37  
CATEGORY\_TYPE\_OTHER  
(pyryver.objects.TaskCategory attribute),  
37  
CATEGORY\_TYPE\_UNCATEGORIZED  
(pyryver.objects.TaskCategory attribute),  
37  
change\_settings() (pyryver.objects.GroupChat  
method), 24  
Chat (class in pyryver.objects), 18  
ChatMessage (class in pyryver.objects), 29  
close() (pyryver.ryver.Ryver method), 9  
close() (pyryver.ryver\_ws.RyverWS method), 13  
ClosedError (class in pyryver.ryver\_ws), 13  
comment() (pyryver.objects.Task method), 43  
complete() (pyryver.objects.Task method), 41

create\_category() (pyryver.objects.TaskBoard  
method), 35  
create\_forum() (pyryver.ryver.Ryver method), 8  
create\_link() (pyryver.ryver.Ryver method), 8  
create\_task() (pyryver.objects.TaskBoard method),  
36  
create\_task\_board() (pyryver.objects.Chat  
method), 21  
create\_team() (pyryver.ryver.Ryver method), 9  
create\_topic() (pyryver.objects.GroupChat  
method), 24  
create\_topic() (pyryver.objects.User method), 27  
Creator (class in pyryver.objects), 48

## D

datetime\_to\_iso8601() (in module pyryver.util),  
50  
delete() (pyryver.objects.ChatMessage method), 32  
delete() (pyryver.objects.File method), 45  
delete() (pyryver.objects.GroupChat method), 25  
delete() (pyryver.objects.Message method), 29  
delete() (pyryver.objects.Storage method), 45  
delete() (pyryver.objects.TaskCategory method), 38  
delete\_avatar() (pyryver.objects.Chat method), 22  
delete\_task\_board() (pyryver.objects.Chat  
method), 21  
does\_announce\_tasks()  
(pyryver.objects.GroupChat method), 23  
does\_announce\_topics()  
(pyryver.objects.GroupChat method), 23  
download\_data() (pyryver.objects.File method), 45

## E

edit() (pyryver.objects.ChatMessage method), 32  
edit() (pyryver.objects.Task method), 42  
edit() (pyryver.objects.TaskCategory method), 37  
edit() (pyryver.objects.Topic method), 34  
EVENT\_ALL (pyryver.ryver\_ws.RyverWS attribute), 11  
EVENT\_ENTITY\_CHANGED  
(pyryver.ryver\_ws.RyverWS attribute), 11  
EVENT\_REACTION\_ADDED  
(pyryver.ryver\_ws.RyverWS attribute), 10

EVENT\_REACTION\_REMOVED

(*pyryver.ryver\_ws.RyverWS attribute*), 10

EVENT\_TASK\_CHANGED (*pyryver.ryver\_ws.RyverWS attribute*), 11

EVENT\_TOPIC\_CHANGED (*pyryver.ryver\_ws.RyverWS attribute*), 11

## F

FIELD\_DISPLAY\_NAME (*in module pyryver.util*), 51

FIELD\_EMAIL\_ADDR (*in module pyryver.util*), 51

FIELD\_ID (*in module pyryver.util*), 51

FIELD\_JID (*in module pyryver.util*), 51

FIELD\_NAME (*in module pyryver.util*), 51

FIELD\_NICKNAME (*in module pyryver.util*), 51

FIELD\_USERNAME (*in module pyryver.util*), 51

File (*class in pyryver.objects*), 45

FileCacheStorage (*class in pyryver.cache\_storage*), 49

Forum (*class in pyryver.objects*), 25

## G

get\_about() (*pyryver.objects.User method*), 26

get\_activated() (*pyryver.objects.User method*), 26

get\_announced\_task\_id() (*pyryver.objects.ChatMessage method*), 31

get\_announced\_topic\_id() (*pyryver.objects.ChatMessage method*), 31

get\_api\_url() (*pyryver.objects.Object method*), 16

get\_app\_link() (*pyryver.objects.Object method*), 17

get\_assignees() (*pyryver.objects.Task method*), 40

get\_attached\_file() (*pyryver.objects.ChatMessage method*), 31

get\_attachments\_count() (*pyryver.objects.Task method*), 40

get\_author() (*pyryver.objects.ChatMessage method*), 31

get\_author() (*pyryver.objects.Message method*), 29

get\_author\_id() (*pyryver.objects.ChatMessage method*), 30

get\_board\_type() (*pyryver.objects.TaskBoard method*), 35

get\_body() (*pyryver.objects.Message method*), 29

get\_by\_id() (*pyryver.objects.Object class method*), 18

get\_categories() (*pyryver.objects.TaskBoard method*), 35

get\_category\_type() (*pyryver.objects.TaskCategory method*), 37

get\_chat() (*pyryver.objects.ChatMessage method*), 31

get\_chat() (*pyryver.objects.TaskBoard method*), 36

get\_chat() (*pyryver.ryver.Ryver method*), 6

get\_chat\_id() (*pyryver.objects.ChatMessage method*), 31

get\_chat\_type() (*pyryver.objects.ChatMessage method*), 30

get\_checklist() (*pyryver.objects.Task method*), 41

get\_comments() (*pyryver.objects.Task method*), 43

get\_comments\_count() (*pyryver.objects.Task method*), 40

get\_complete\_date() (*pyryver.objects.Task method*), 39

get\_content\_id() (*pyryver.objects.Storage method*), 44

get\_content\_MIME\_type() (*pyryver.objects.Storage method*), 44

get\_content\_url() (*pyryver.objects.Storage method*), 44

get\_create\_date() (*pyryver.objects.Object method*), 16

get\_create\_user() (*pyryver.objects.Object method*), 17

get\_creator() (*pyryver.objects.Object method*), 17

get\_deferred\_field() (*pyryver.objects.Object method*), 17

get\_display\_name() (*pyryver.objects.User method*), 25

get\_due\_date() (*pyryver.objects.Task method*), 39

get\_email\_address() (*pyryver.objects.User method*), 26

get\_entity\_type() (*pyryver.objects.Object method*), 16

get\_file() (*pyryver.objects.Storage method*), 44

get\_groupchat() (*pyryver.ryver.Ryver method*), 6

get\_id() (*pyryver.objects.Object method*), 16

get\_info() (*pyryver.ryver.Ryver method*), 7

get\_jid() (*pyryver.objects.Chat method*), 18

get\_live\_session() (*pyryver.ryver.Ryver method*), 5

get\_member() (*pyryver.objects.GroupChat method*), 23

get\_members() (*pyryver.objects.GroupChat method*), 23

get\_message() (*pyryver.objects.Chat method*), 20

get\_message\_from\_id() (*pyryver.objects.Chat method*), 21

get\_messages() (*pyryver.objects.Chat method*), 20

get\_messages\_surrounding() (*pyryver.objects.Chat method*), 20

get\_MIME\_type() (*pyryver.objects.File method*), 45

get\_modify\_date() (*pyryver.objects.Object method*), 16

get\_modify\_user() (*pyryver.objects.Object method*), 18

get\_msg\_type() (*pyryver.objects.ChatMessage method*), 30

get\_name() (*pyryver.objects.Chat method*), 19

get\_name() (*pyryver.objects.File method*), 45

get\_name() (*pyryver.objects.GroupChat method*), 22  
 get\_name() (*pyryver.objects.Storage method*), 44  
 get\_name() (*pyryver.objects.TaskBoard method*), 34  
 get\_name() (*pyryver.objects.TaskCategory method*), 37  
 get\_name() (*pyryver.objects.User method*), 26  
 get\_new() (*pyryver.objects.Notification method*), 47  
 get\_nickname() (*pyryver.objects.GroupChat method*), 22  
 get\_notifs() (*pyryver.pyryver.Ryver method*), 7  
 get\_obj\_by\_field() (*in module pyryver.objects*), 50  
 get\_object() (*pyryver.objects.Notification method*), 47  
 get\_object() (*pyryver.pyryver.Ryver method*), 6  
 get\_object\_entity\_type() (*pyryver.objects.Notification method*), 46  
 get\_object\_id() (*pyryver.objects.Notification method*), 46  
 get\_parent() (*pyryver.objects.Task method*), 41  
 get\_position() (*pyryver.objects.Task method*), 40  
 get\_position() (*pyryver.objects.TaskCategory method*), 37  
 get\_predicate() (*pyryver.objects.Notification method*), 46  
 get\_prefix() (*pyryver.objects.TaskBoard method*), 35  
 get\_raw\_data() (*pyryver.objects.Object method*), 16  
 get\_reaction\_counts() (*pyryver.objects.Message method*), 29  
 get\_reactions() (*pyryver.objects.Message method*), 29  
 get\_replies() (*pyryver.objects.Topic method*), 33  
 get\_role() (*pyryver.objects.GroupChatMember method*), 28  
 get\_role() (*pyryver.objects.User method*), 26  
 get\_roles() (*pyryver.objects.User method*), 26  
 get\_ryver() (*pyryver.objects.Object method*), 16  
 get\_short\_repr() (*pyryver.objects.Task method*), 39  
 get\_size() (*pyryver.objects.File method*), 45  
 get\_size() (*pyryver.objects.Storage method*), 44  
 get\_storage\_type() (*pyryver.objects.Storage method*), 44  
 get\_subject() (*pyryver.objects.Task method*), 39  
 get\_subject() (*pyryver.objects.Topic method*), 33  
 get\_subject\_entity\_type() (*pyryver.objects.Notification method*), 46  
 get\_subject\_id() (*pyryver.objects.Notification method*), 46  
 get\_subjects() (*pyryver.objects.Notification method*), 46  
 get\_subtype() (*pyryver.objects.ChatMessage method*), 30  
 get\_tags() (*pyryver.objects.Task method*), 40  
 get\_task\_board() (*pyryver.objects.Chat method*), 21  
 get\_task\_board() (*pyryver.objects.Task method*), 40  
 get\_task\_board() (*pyryver.objects.TaskCategory method*), 37  
 get\_task\_category() (*pyryver.objects.Task method*), 40  
 get\_task\_tags() (*pyryver.objects.Chat method*), 19  
 get\_tasks() (*pyryver.objects.TaskBoard method*), 35  
 get\_tasks() (*pyryver.objects.TaskCategory method*), 38  
 get\_time() (*pyryver.objects.ChatMessage method*), 30  
 get\_time\_zone() (*pyryver.objects.User method*), 26  
 get\_title() (*pyryver.objects.File method*), 45  
 get\_topic() (*pyryver.objects.TopicReply method*), 34  
 get\_topics() (*pyryver.objects.Chat method*), 19  
 get\_type() (*pyryver.objects.Object class method*), 18  
 get\_type\_from\_entity() (*in module pyryver.util*), 49  
 get\_unread() (*pyryver.objects.Notification method*), 47  
 get\_url() (*pyryver.objects.File method*), 45  
 get\_user() (*pyryver.pyryver.Ryver method*), 6  
 get\_user\_type() (*pyryver.objects.User method*), 26  
 get\_username() (*pyryver.objects.User method*), 25  
 get\_via() (*pyryver.objects.Notification method*), 47  
 get\_via\_entity\_type() (*pyryver.objects.Notification method*), 47  
 get\_via\_id() (*pyryver.objects.Notification method*), 47  
 GroupChat (*class in pyryver.objects*), 22  
 GroupChatMember (*class in pyryver.objects*), 28

## H

has\_chat() (*pyryver.objects.GroupChat method*), 22  
 has\_tasks() (*pyryver.objects.GroupChat method*), 22  
 has\_topics() (*pyryver.objects.GroupChat method*), 22

## I

invite\_user() (*pyryver.pyryver.Ryver method*), 8  
 is\_admin() (*pyryver.objects.GroupChatMember method*), 28  
 is\_admin() (*pyryver.objects.User method*), 26  
 is\_archived() (*pyryver.objects.GroupChat method*), 23  
 is\_archived() (*pyryver.objects.Task method*), 39  
 is\_archived() (*pyryver.objects.Topic method*), 33  
 is\_completed() (*pyryver.objects.Task method*), 39  
 is\_instantiable() (*pyryver.objects.Object class method*), 18

is\_stickied() (*pyryver.objects.Topic method*), 33  
 iso8601\_to\_datetime() (*in module pyryver.util*), 50

## L

load() (*pyryver.cache\_storage.AbstractCacheStorage method*), 48  
 load() (*pyryver.cache\_storage.FileCacheStorage method*), 49  
 load\_chats() (*pyryver.ryver.Ryver method*), 9  
 load\_forums() (*pyryver.ryver.Ryver method*), 9  
 load\_missing\_chats() (*pyryver.ryver.Ryver method*), 9  
 load\_teams() (*pyryver.ryver.Ryver method*), 9  
 load\_users() (*pyryver.ryver.Ryver method*), 9

## M

make\_avatar\_of() (*pyryver.objects.Storage method*), 45  
 mark\_all\_notifs\_read() (*pyryver.ryver.Ryver method*), 7  
 mark\_all\_notifs\_seen() (*pyryver.ryver.Ryver method*), 7  
 Message (*class in pyryver.objects*), 29  
 module  
   pyryver.cache\_storage, 48  
   pyryver.util, 49  
 move() (*pyryver.objects.Task method*), 41  
 move\_position() (*pyryver.objects.TaskCategory method*), 38  
 move\_tasks() (*pyryver.objects.TaskCategory method*), 38  
 MSG\_TYPE\_ALL (*pyryver.ryver\_ws.RyverWS attribute*), 11  
 MSG\_TYPE\_CHAT (*pyryver.ryver\_ws.RyverWS attribute*), 11  
 MSG\_TYPE\_CHAT\_DELETED (*pyryver.ryver\_ws.RyverWS attribute*), 11  
 MSG\_TYPE\_CHAT\_UPDATED (*pyryver.ryver\_ws.RyverWS attribute*), 11  
 MSG\_TYPE\_EVENT (*pyryver.ryver\_ws.RyverWS attribute*), 11  
 MSG\_TYPE\_GROUPCHAT (*pyryver.objects.ChatMessage attribute*), 30  
 MSG\_TYPE\_PRESENCE\_CHANGED (*pyryver.ryver\_ws.RyverWS attribute*), 11  
 MSG\_TYPE\_PRIVATE (*pyryver.objects.ChatMessage attribute*), 30  
 MSG\_TYPE\_USER\_TYPING (*pyryver.ryver\_ws.RyverWS attribute*), 11

## N

NO\_CHANGE (*in module pyryver.util*), 49

Notification (*class in pyryver.objects*), 46

## O

Object (*class in pyryver.objects*), 16  
 on\_chat() (*pyryver.ryver\_ws.RyverWS method*), 9  
 on\_chat\_deleted() (*pyryver.ryver\_ws.RyverWS method*), 10  
 on\_chat\_updated() (*pyryver.ryver\_ws.RyverWS method*), 10  
 on\_connection\_loss() (*pyryver.ryver\_ws.RyverWS method*), 10  
 on\_error() (*pyryver.ryver\_ws.RyverWS method*), 10  
 on\_event() (*pyryver.ryver\_ws.RyverWS method*), 11  
 on\_msg\_type() (*pyryver.ryver\_ws.RyverWS method*), 12  
 on\_presence\_changed() (*pyryver.ryver\_ws.RyverWS method*), 10  
 on\_user\_typing() (*pyryver.ryver\_ws.RyverWS method*), 10

## P

PREDICATE\_COMMENT (*pyryver.objects.Notification attribute*), 46  
 PREDICATE\_GROUP\_MENTION (*pyryver.objects.Notification attribute*), 46  
 PREDICATE\_MENTION (*pyryver.objects.Notification attribute*), 46  
 PREDICATE\_TASK\_COMPLETED (*pyryver.objects.Notification attribute*), 46  
 PRESENCE\_AVAILABLE (*pyryver.ryver\_ws.RyverWS attribute*), 12  
 PRESENCE\_AWAY (*pyryver.ryver\_ws.RyverWS attribute*), 12  
 PRESENCE\_DO\_NOT\_DISTURB (*pyryver.ryver\_ws.RyverWS attribute*), 12  
 PRESENCE\_OFFLINE (*pyryver.ryver\_ws.RyverWS attribute*), 13  
 pyryver.cache\_storage  
   module, 48  
 pyryver.util  
   module, 49

## R

react() (*pyryver.objects.ChatMessage method*), 32  
 react() (*pyryver.objects.Message method*), 29  
 remove() (*pyryver.objects.GroupChatMember method*), 28  
 remove\_member() (*pyryver.objects.GroupChat method*), 24  
 reply() (*pyryver.objects.Topic method*), 33  
 request\_data() (*pyryver.objects.File method*), 45  
 retry\_until\_available() (*in module pyryver.util*), 49



ROLE\_ADMIN (*pyryver.objects.GroupChatMember attribute*), 28  
 ROLE\_ADMIN (*pyryver.objects.User attribute*), 25  
 ROLE\_GUEST (*pyryver.objects.User attribute*), 25  
 ROLE\_MEMBER (*pyryver.objects.GroupChatMember attribute*), 28  
 ROLE\_USER (*pyryver.objects.User attribute*), 25  
 run\_forever() (*pyryver.pyryver\_ws.RyverWS method*), 13  
 Ryver (*class in pyryver.pyryver*), 5  
 RyverWS (*class in pyryver.pyryver\_ws*), 9  
 RyverWSTyping (*class in pyryver.pyryver\_ws*), 13

## S

save() (*pyryver.cache\_storage.AbstractCacheStorage method*), 48  
 save() (*pyryver.cache\_storage.FileCacheStorage method*), 49  
 send\_chat() (*pyryver.pyryver\_ws.RyverWS method*), 12  
 send\_clear\_typing() (*pyryver.pyryver\_ws.RyverWS method*), 12  
 send\_message() (*pyryver.objects.Chat method*), 19  
 send\_presence\_change() (*pyryver.pyryver\_ws.RyverWS method*), 13  
 send\_typing() (*pyryver.pyryver\_ws.RyverWS method*), 12  
 set\_activated() (*pyryver.objects.User method*), 27  
 set\_archived() (*pyryver.objects.GroupChat method*), 25  
 set\_avatar() (*pyryver.objects.Chat method*), 22  
 set\_checklist() (*pyryver.objects.Task method*), 42  
 set\_complete\_date() (*pyryver.objects.Task method*), 40  
 set\_due\_date() (*pyryver.objects.Task method*), 41  
 set\_org\_role() (*pyryver.objects.User method*), 27  
 set\_profile() (*pyryver.objects.User method*), 26  
 set\_role() (*pyryver.objects.GroupChatMember method*), 28  
 set\_status() (*pyryver.objects.Notification method*), 47  
 set\_task\_tags() (*pyryver.objects.Chat method*), 19  
 start() (*pyryver.pyryver\_ws.RyverWS method*), 13  
 start() (*pyryver.pyryver\_ws.RyverWSTyping method*), 13  
 stop() (*pyryver.pyryver\_ws.RyverWSTyping method*), 13  
 Storage (*class in pyryver.objects*), 44  
 STORAGE\_TYPE\_FILE (*pyryver.objects.Storage attribute*), 44  
 STORAGE\_TYPE\_LINK (*pyryver.objects.Storage attribute*), 44  
 SUBTYPE\_CHAT\_MESSAGE (*pyryver.objects.ChatMessage attribute*), 30

SUBTYPE\_TASK\_ANNOUNCEMENT (*pyryver.objects.ChatMessage attribute*), 30  
 SUBTYPE\_TOPIC\_ANNOUNCEMENT (*pyryver.objects.ChatMessage attribute*), 30

## T

Task (*class in pyryver.objects*), 39  
 TaskBoard (*class in pyryver.objects*), 34  
 TaskCategory (*class in pyryver.objects*), 37  
 Team (*class in pyryver.objects*), 25  
 to\_dict() (*pyryver.objects.Creator method*), 48  
 Topic (*class in pyryver.objects*), 33  
 TopicReply (*class in pyryver.objects*), 34  
 TYPE\_FILE (*in module pyryver.util*), 51  
 TYPE\_FORUM (*in module pyryver.util*), 51  
 TYPE\_GROUPCHAT\_MEMBER (*in module pyryver.util*), 51  
 TYPE\_NOTIFICATION (*in module pyryver.util*), 51  
 TYPE\_STORAGE (*in module pyryver.util*), 51  
 TYPE\_TEAM (*in module pyryver.util*), 51  
 TYPE\_TOPIC (*in module pyryver.util*), 51  
 TYPE\_TOPIC\_REPLY (*in module pyryver.util*), 51  
 TYPE\_USER (*in module pyryver.util*), 51  
 typing() (*pyryver.pyryver\_ws.RyverWS method*), 12

## U

unarchive() (*pyryver.objects.Task method*), 41  
 unarchive() (*pyryver.objects.Topic method*), 33  
 uncomplete() (*pyryver.objects.Task method*), 41  
 unreact() (*pyryver.objects.ChatMessage method*), 32  
 unreact() (*pyryver.objects.Message method*), 29  
 upload\_file() (*pyryver.pyryver\_ws.Ryver method*), 7  
 User (*class in pyryver.objects*), 25  
 USER\_TYPE\_GUEST (*pyryver.objects.User attribute*), 25  
 USER\_TYPE\_MEMBER (*pyryver.objects.User attribute*), 25

## W

WSChatDeletedData (*class in pyryver.ws\_data*), 14  
 WSChatMessageData (*class in pyryver.ws\_data*), 14  
 WSChatUpdatedData (*class in pyryver.ws\_data*), 14  
 WSEventData (*class in pyryver.ws\_data*), 15  
 WSMessageData (*class in pyryver.ws\_data*), 14  
 WSPresenceChangedData (*class in pyryver.ws\_data*), 15  
 WSUserTypingData (*class in pyryver.ws\_data*), 15